

CURRICULUM VITAE

December 9th, 2025

FULL NAME: Nobukazu Nakasato

CURRENT POSITION:

Director General
Kohnan Hospital

Emeritus Professor
Tohoku University Graduate School of Medicine

Visiting Professor
Department of Smart Epilepsy Care
Tohoku University Graduate School of Medicine

Visiting Professor
Department of Advanced Spintronics Medical Engineering
Graduate School of Engineering, Tohoku University

OFFICE ADDRESS:

4 Chome-20-1 Nagamachiminami, Taihaku, Sendai, Miyagi 982-8523
Website:

WEBSITES:

<https://www.kohnan-sendai.or.jp>
<https://researchmap.jp/nakasato/?lang=japanese>
<https://researchmap.jp/nakasato/?lang=english>

EDUCATION AND TRAINING:

1993 Ph.D., Tohoku University, Sendai, Japan
1984-88: Resident (Neurosurgery), Tohoku University School of Medicine, Sendai, Japan
1984 M.D., Tohoku University School of Medicine, Sendai, Japan

RESEARCH AND PROFESSIONAL EXPERIENCE:

2024.4- present: Director General, Kohan Hospital, Sendai, Japan
2024.4- present: Emeritus Professor, Tohoku University School of Medicine, Sendai, Japan
2024.4- present: Visiting Professor, Department of Smart Epilepsy Care, Tohoku University
Graduate School of Medicine, Sendai, Japan

2024.4- present: Visiting Professor, Department of Advanced Spintronics Medical Engineering, Graduate School of Engineering, Tohoku University, Sendai, Japan
 2010.2-2025.3: Professor and Chair, Department of Epileptology, Tohoku University School of Medicine, Sendai, Japan
 2022.10-2025.3: Professor and Chair, Department of Smart Epilepsy Care, Tohoku University Graduate School of Medicine, Sendai, Japan
 2022.4-2025.3: Professor, Department of Advanced Spintronics Medical Engineering, Graduate School of Engineering, Tohoku University, Sendai, Japan
 2017-2025.3: Director, Physiological Laboratory, Tohoku University
 2015-2025.3: Director, Epilepsy Center, Tohoku University Hospital
 2012-2025.3: Special Adviser to President (Telemedicine & International Issues), Tohoku University Hospital
 2019.4-2022.3: Professor and Chair, Department of Electromagnetic Neurophysiology (RICOH), Tohoku University Graduate School of Medicine
 2017.2-2019.3: Professor and Chair, Department of Electromagnetic Neurophysiology, Tohoku University School of Medicine, Sendai, Japan
 2010-2017.1: Professor and Chair, Department of Electromagnetic Neurophysiology, Institute of Development, Aging and Cancer, Tohoku University, Sendai, Japan
 2008-2010: Vice President, Kohnan Hospital; and Associate Professor, Department of Neurosurgery, Tohoku University School of Medicine
 1998-2010: Head, Epilepsy and Brain Mapping Project, Department of Neurosurgery, Kohnan Hospital and Tohoku University School of Medicine
 1996-2008: Assistant Professor, Department of Neurosurgery, Tohoku University School of Medicine
 1992-1998: Head, MEG and Brain Mapping Project, Department of Neurosurgery, Kohnan Hospital and Tohoku University School of Medicine, Sendai, Japan
 1989-1991: Visiting Research, Reed Neuromagnetometry Laboratory and Division of Neurosurgery, University of California, Los Angeles
 1988-1991: Assistant Professor, Department of Neurosurgery, Tohoku University School of Medicine, Sendai, Japan
 1987-1988: Visiting Researcher, Biomagnetometry Section, National Electrotechnical Laboratory, Tsukuba, Japan

AWARD

2025 October	Makoto Saito Award in the Field of Social Contribution, The Japan Neurosurgical Society
2025 October	Distinguished Service Award, The Japan Epilepsy Society
2023 May	Lifetime Achievement Award in the Field of Clinical Magnetoencephalography 2023, The International Society for the Advancement of Clinical Magnetoencephalography
2023 May	Ogino Award (Clinical Application Research Award) 2022, The Japanese Society for Medical and Biological Engineering
2022 November	Shimazono Award 2022, The Japanese Society of Clinical Neurophysiology
2022 November	Outstanding Paper Award 2022, The Japan Society of Applied Physics
2021 May	Legacy Award 2021, The American Clinical MEG Society
1994 November	The Jiro Suzuki Award, The Alumni Association of Neurosurgeons, Tohoku University

LICENSE AND BOARD CERTIFICATIONS:

Board Certification, Japan Clinical Neurophysiology Society, 2006
Board Certification, Japan Epilepsy Society, 1999
Board Certification, Japan Neurosurgical Society, 1993
Medical Doctor License, 1984

MEMBERSHIP OF SCIENTIFIC SOCIETIES:

International Society for the Advancement of Clinical Magnetoencephalography (ISACM)
Co-founder and the First President (2006-2008)
The Sixth President (2017-2019)
Executive Committee Member (2005-2011, 2015-2021, 2025-2027)

International League Against Epilepsy (ILAE)
Member of the Magnetoencephalography Task Force of the Diagnostic Methods (2025-2029)
Member of the ILAE Neurophysiology Task Force of the Diagnostic Methods Commission (2021-2025)
Member of the ILAE Task Force on Classification Commission (2013-2017)
Member of the ILAE Task Force on Guidelines Commission (2012-2015)

International Conference on Biomagnetism (BIOMAG)
International Advisory Board Member (2022-present)

International Federation of Clinical Neurophysiology (IFCN)
Editorial Board Member, Clinical Neurophysiology (2015-2021)

Japan Biomagnetism and Biomagnetics Society:
President (2021-2024)
Vice President (2009-2015)
Executive Board Member (2003-present)
President of Annual Meeting (2017)

Japan Epilepsy Society (JES)
Honorary Member (2025-present)
Board Member (2013-2025)
Chair, Committee of International Issues (2023-2025)
Chair, Committee of Legal Issues (2021-2022)
Chair, Committee of Health Care Reimbursement (2017-2021)
President, Tohoku Branch (2013-2018)
Vice President (2015-2017)
Secretary General, Tohoku Branch (2006-2012)
Chief of Headquarters, "3.11 Disaster" Countermeasures Office (2011-present)

Japan Epilepsy Center Association (JEPICA)
Board Member (2013-present)
Chair, Executive Board (2015-2021)

Japan Epilepsy Surgery Society
Board Member (2009-2026)

Japan Neurosurgical Society:
Member, Special Committee of Brain Death and Organ Transplantation (1999-)

Editorial Board Member, *Neurologia Medico-Chirurgica* (2023-2025)
Japanese Congress of Neurological Surgeons
Review Committee Member (2005-present)
Japan Society of Medical Electronics and Biological Engineering:
Editorial Board Member, *Transactions of the Japanese Society for Medical and Biological Engineering* (1999-present)
Delegate Member (2013-present)
Japanese Society of Clinical Neurophysiology:
Honorary Member (2024-present)
Board Member (2013-2024)
Reimbursement Committee Member (2006-present); Chair (2017-2025)
Academic Committee Member (1997-2024)
Editorial Board Member, *Japanese Journal of Clinical Neurophysiology* (2003-present)
Ethical Committee Member (2014-2024)
MEG Committee Chair (2011-2014)
Japanese Society for Brain Electromagnetic Topography:
Academic Committee Member (2005-present)
Japan Human Brain Mapping Society
Academic Committee Member (2012-2024)
Japan Social Insurance Union of Societies Related to Internal Medicine
Member, Committee of Telemedicine and Telehealth (2019-2025)
Tohoku Epilepsy Forum:
Board Chair (2010-2025)
Tohoku Society of Comprehensive Epilepsy Program:
Board Chair (2011-2025)
Japan Society of Applied Physics
Member (2022-2025)

ORGANIZATION OF INTERNATIONAL SCIENTIFIC CONFERENCES:

Co-President, Tohoku-Yonsei Epilepsy and MEG symposium. February 19, 2021, Seoul, Korea (Web Conference)
President, The 6th Meeting of the International Society for the Advancement of Clinical Magnetoencephalography (ISACM), May 22-24, 2017, Sendai, Japan
Co-chair, The 2nd ISACM, September 3-5, 2009, Athens, Greece.
Co-chair, The First ISACM, August 27-30, 2007, Matsushima, Japan
Secretary General, 11th International Conference on Biomagnetism, August 28 - September 2, 1998, Sendai, Japan

ORGANIZATION OF DOMESTIC SCIENTIFIC CONFERENCES IN JAPAN:

President, The 55th Annual Meeting of Japan Epilepsy Society, September 20-22, 2022, Sendai
President, The 51st Annual Meeting of Japanese Society of Clinical Neurophysiology, December 16-18, 2021, Sendai
President, Annual Meeting of Japan Epilepsy Society, Tohoku Branch, July 10, 2021, Sendai
President, Annual Meeting of the JSBET 2017 (Japanese Society for Brain Electromagnetic Topography), May 22-24, 2017, Sendai

President, Annual Meeting of the Japan Biomagnetism and Biomagnetics Society, May 22-24, 2017, Sendai

President, Annual Meeting of Japan Epilepsy Center Association, January 9-10, 2016, Sendai

President, Japan Epilepsy Rehabilitation Meeting, November 14, 2015, Sendai

Vice President, Annual Meeting of the Japanese Telemedicine and Telecare Association, October 9-10, 2015, Sendai

President, Annual Meeting of Japan Epilepsy Surgery Society, January 15-16, 2015, Tokyo

Chair: 27th Meeting, Japan Society of Brain Electromagnetic Topography, November 18-19, 2010, Matsushima

Secretary General, 10th Japanese Conference on Biomagnetism, May 27-28, 1995, Sendai

SCIENTIFIC PUBLICATIONS (In English):

ORIGINAL ARTICLES (206)

- 1) Kikuchi H, Kakinuma K, Osawa SI, Ota S, Katsuse K, Ukishiro K, Jin K, Sato S, Mugikura S, Endo H, Nakasato N, Suzuki K: Assessment of memory lateralization by posterior cerebral artery selective anesthesia can predict postoperative verbal memory decline. *J Neurosurg*, Dec 5: 1-8, 2025 (<https://thejns.org/doi/abs/10.3171/2025.8.JNS25878>)
- 2) Kikuchi H, Osawa SI, Kakinuma K, Ota S, Katsuse K, Ukishiro K, Jin K, Endo H, Nakasato N, Suzuki K: Impact of aphasia on verbal memory: Insights from the selective anesthesia for functional evaluation. *J Neurosurg* 143: 1194-1201, 2025 (doi: 10.3171/2025.2.JNS242534)
- 3) Nakaya A, Kato K, Jin K, Ohtomo S, Nakasato N, Aoki M: Unknown etiology group of late onset epilepsy more likely to show epileptiform EEG abnormalities than cerebrovascular disease group. *Epilepsy Behav* 172: 110721, 2025 (<https://doi.org/10.1016/j.yebeh.2025.110721>)
- 4) Ogawa M, Fujikawa M, Tasaki T, Kakisaka Y, Jin K, Nakasato N: Understanding enacted and felt stigma in temporal lobe epilepsy. *Epilepsy Behav* 171:110620, 2025 (doi: 10.1016/j.yebeh.2025.110620)
- 5) Konomatsu K, Kakisaka Y, Ogawa M, Fujikawa M, Ishida M, Kubota T, Ukishiro K, Nakasato N, Aoki M, Jin K: Visualizing diagnostic delays in functional/dissociative seizures using the referral odyssey plot: A retrospective cohort study. *Seizure* 133: 61-67, 2025(<https://doi.org/10.1016/j.seizure.2025.10.009>)
- 6) Osawa S, Ogawa M, Iwaki H, Akizuki Y, Fujikawa M, Ukishiro K, Jin K, Sakuma A, Tomita H, Suzuki K, Nakasato N, Endo H: Post-surgical psychogenic non-epileptic seizure: a treatment-related functional neurological disorder. *J Neurol Neurosurg Psych* (Epub ahead of print: doi:10.1136/jnnp-2025-336913)
- 7) Konomatsu K, Kashiwada Y, Kubota T, Jin K, Koda R, Takahashi K, Soga T, Ishida M, Kuroda N, Ukishiro K, Kakisaka Y, Aoki M, Nakasato N: Differentiation between epileptic and functional/dissociative seizures using density spectral array of ictal single-channel EEG with deep learning. *Epilepsy Behav* 172: 110713, 2025 (<https://doi.org/10.1016/j.yebeh.2025.110713>)
- 8) Kuroda N, Uda H, Inoue K, Kitazawa Y, Osawa SI, Nemoto H, Ishida M, Ukishiro K, Luat AF, Endo H, Nakasato N, Asano E: Localization of the epileptogenic zone using neural spatial volatility in epilepsy Surgery. *Neurology* 105: e213906, 2025 (doi:10.1212/WNL.00000000000213906)
- 9) Hosokawa H, Kakinuma K, Osawa SI, Kikuchi H, Katsuse K, Ota S, Kobayashi E, Kawakami N, Oyafuso M, Ukishiro K, Jin K, Ishida M, Niizuma K, Endo H, Nakasato N, Suzuki K: Retrospective interviews reveal unawareness of weakness following reversible hemispheric suppression: An exploratory study using Selective Anesthesia for Functional Evaluation. *Cortex* 190: 146-154, 2025 (<https://doi.org/10.1016/j.cortex.2025.06.015>)
- 10) Ishida M, Katayama H, Kakisaka Y, Jin K, Nakasato N: Neuromagnetic evidence of the foot somatosensory area in the frontal cortex. *Clin Neurophysiol* 176: 2110767, 2025 (<https://doi.org/10.1016/j.clinph.2025.2110767>)
- 11) Katsuse K, Kakinuma K, Osawa SI, Ota S, Kikuchi H, Kawamura A, Ukishiro K, Tanji K, Kawakami N, Iseki C, Kanno S, Shiota Y, Hamada M, Toda T, Endo H, Nakasato N, Suzuki K: Spatiotemporal dynamics of reading Kana (syllabograms) and Kanji (morphograms). *Neuroimage* 317:121316, 2025 (<https://doi.org/10.1016/j.neuroimage.2025.121316>)
- 12) Kitazawa Y, Sakakura K, Uda H, Kuroda N, Ueda R, Firestone E, Lee ML, Jeong JW, Sonoda M, Osawa SI, Ukishiro K, Ishida M, Kakinuma K, Ota S, Takayama Y, Iijima K,

- Kambara T, Endo T, Suzuki K, Nakasato N, Iwasaki M, Asano E: Visualization of functional and effective connectivity underlying auditory descriptive naming. *Clin Neurophysiol* 175: 2010729, 2025 (<https://doi.org/10.1016/j.clinph.2025.04.008>)
- 13) Kubota T, Ngadimon I, Ohseto H, Viswanathan S, Ravat P, Acharya M, Kuroda N, Konomatsu K, Obara T, Jin K, Aoki M, Nakasato N: Predictive value of the polygenic risk score for developing epilepsy: A systematic review and meta-analysis. *Epilepsy Behav* 169: 110438, 2025(<https://doi.org/10.1016/j.yebeh.2025.110438>)
 - 14) Konomatsu K, Kakisaka Y, Jin K, Fujiwara Y, Kubota T, Ogawa M, Ishida M, Ukishiro K, Ono H, Kaneko K, Sugeno N, Aoki M, Nakasato N: Adult-onset epilepsy with startle-induced seizure after febrile infection-related epilepsy syndrome: A case report. *Epileptic Disord*, 2025 (doi: 10.1002/epd2.70026)
 - 15) Kikuchi H, Osawa SI, Kakinuma K, Ota S, Katsuse K, Ukishiro K, Jin K, Endo H, Nakasato N, Suzuki K: Verbal memory localized on non-language dominant hemisphere: Atypical lateralization revealed by material-specific memory evaluation using super selective Wada test. *NMC Case Rep J* 12:65-71, 2025 (doi: 10.2176/jns-nmc.2024-0217)
 - 16) Ninomiya A, Osawa SI, Suzuki K, Kakinuma K, Ukishiro K, Shimoda Y, Jin K, Uematsu M, Sato S, Mugikura S, Suzuki H, Miyata H, Nakasato N, Endo H: Motor deficit after resective surgery for peri-Rolandic epilepsy is caused by perforating artery injury besides cortical dysfunction: a voxel-based morphometric analysis. *J Neurosurg* 142: 1545-1557, 2025 (<https://thejns.org/doi/abs/10.3171/2024.10.JNS24878>)
 - 17) Sasaki T, Irie W, Sugahara A, Jin K, Nakasato N, Shiwaku H: Perceptions in the experience of transition from pediatric to adult care of patients with childhood-onset epilepsy in Japan. *Epilepsy Behav* 161:110119, 2024 (doi: 10.1016/j.yebeh.2024.110119)
 - 18) Hirano R, Asai M, Nakasato N, Kanno A, Uda T, Tsuyuguchi N, Yoshimura M, Shigihara Y, Okada T, Hirata M: Deep learning based automatic detection and dipole estimation of epileptic discharges in MEG: a multi-center study. *Sci Rep* 14: 24574, 2024 (doi: 10.1038/s41598-024-75370-9)
 - 19) Ogawa M, Fujikawa M, Tasaki K, Ukishiro K, Kakisaka Y, Jin K, Nakasato N: Individual and relational factors related to disclosure of epilepsy in the workplace. *Epilepsy Behav* 160:110079, 2024 (doi: 10.1016/j.yebeh.2024.110079)
 - 20) Yu C, Ukishiro K, Kakisaka Y, Nakasato N: Achievement and challenges in China's standardized residency training system. *Med Education* 55: 493-495, 2024 (https://doi.org/10.11307/mededjapan.55.6_493)
 - 21) Kakinuma K, Osawa SI, Kikuchi H, Katsuse K, Ishida M, Ukishiro K, Jin K, Kayano S, Mugikura S, Endo H, Nakasato N, Matsuda M, Suzuki K: Recurring utterances induced by local administration to the left frontal lobe. *Cortex* 183: 15-20, 2025 (<https://doi.org/10.1016/j.cortex.2024.10.019>)
 - 22) Takai S, Morimoto T, Kanno A, Kawase T, Suzuki J, Nakasato N, Kawashima R, Katori Y: Rising-frequency chirp stimulus to effectively enhance amplitude and shift phase forward of 40-Hz auditory steady-state response. *Int J Audiol* 2024 (online) (<https://doi.org/10.1080/14992027.2024.2430765>)
 - 23) Ukishiro K, Osawa SI, Iwasaki M, Kakisaka Y, Jin K, Uematsu M, Yamamoto T, Tominaga T, Endo H, Nakasato N: Complete corpus callosotomy brings worthwhile seizure reduction in both pediatric and adult patients. *Neurosurg* 96: 410-415, 2024 (doi: 10.1227/neu.0000000000003092)
 - 24) Ukishiro K, Osawa SI, Kakisaka Y, Jin K, Tominaga T, Endo H, Nakasato N: Remission of startle epilepsy provoked by acoustic stimuli following complete callosotomy: A case study. *Epileptic Disord*, 2024 (DOI: 10.1002/epd2.20238)

- 25) Osawa SI, Suzuki K, Ukishiro K, Kakinuma K, Ishida M, Niizuma K, Shimoda Y, Kikuchi H, Kochi R, Jin K, Matsumoto Y, Uematsu M, Nakasato N, Endo H, Tominaga T: Super-selective injection of propofol into the intracranial arteries enables Patient's self-evaluation of expected neurological deficit. *Cortex* 176: 209-220, 2024 (<https://doi.org/10.1016/j.cortex.2024.04.016>)
- 26) Ishida M, Kakisaka Y, Jin K, Kanno A, Nakasato N: Somatosensory evoked spikes in normal adults detected by magnetoencephalography. *Clin Neurophysiol* 164: 19-23, 2024 (<https://doi.org/10.1016/j.clinph.2024.05.006>)
- 27) Konomatsu K, Kakisaka Y, Aiba T, Takahashi S, Ueda H, Kubota T, Soga T, Ukishiro K, Aokoi M, Nakasato N: Genetic generalized epilepsy with catecholaminergic polymorphic ventricular tachycardia complicated by ryanodine receptor 2 variant: A case report. *European J Epilepsy* 117: 284-287, 2024 (<https://doi.org/10.1016/j.seizure.2024.04.003>)
- 28) Konomatsu K, Kakisaka Y, Sato S, Kubota T, Soga T, Ukishiro K, Mugikura S, Aoki M, Nakasato N: "Caterpillar sign" in corpus callosum associated with curvilinear pericallosal lipoma in MRI: a case report. *Radiol Case Rep* 19: 2058-2061, 2024 (<https://doi.org/10.1016/j.radcr.2024.02.058>)
- 29) Kakinuma K, Osawa SI, Katsuse K, Hosokawa H, Ukishiro K, Jin K, Niizuma K, Tominaga T, Endo H, Nakasato N, Suzuki K: Assessment of language lateralization in epilepsy patients using the super-selective Wada test. *Acta Neurochir (Wien)*, 166:77, 2024 (DOI: 10.1007/s00701-024-05957-8)
- 30) Ille N, Nakao Y, Taura T, Ebert A, Bornfleth H, Asagi S, Kozawa K, Itabashi I, Sato T, Sakuraba R, Tsuda R, Kakisaka Y, Jin K, Nakasato N: Ongoing EEG artifact correction using blind source separation. *Clin Neurophysiol* 158:149-158, 2024 (<https://doi.org/10.1016/j.clinph.2023.12.133>)
- 31) Shimoda E, Kanetaka H, Hihara H, Kanno A, Kawashima R, Nakasato N, Igarashi K: Effects of pain associated with orthodontic tooth movement on tactile sensation of periodontal ligaments. *Clinical Oral Investigations* 28: 36-36, 2023 (DOI: 10.1007/s00784-023-05469-2)
- 32) Otomo M, Osawa S-I, Suzuki K, Kakinuma K, Ukishiro K, Suzuki H, Niizuma K, Narita N, Nakasato N, Tominaga T: Bilateral and asymmetrical localization of language function identified by the superselective infusion of propofol in an epilepsy patient with a mild malformation of cortical development: illustrative case". *J Neurosurg Case Lessons* 6: CASE23451, 2023 (DOI: 10.3171/CASE23451)
- 33) Mugikura S, Mori N, Gang M, Kanno S, Jin K, Osawa SI, Nakasato N, Takase K: Inter-hemispheric asymmetrical change in gray matter volume in patients with unilateral hippocampal sclerosis. *J Clin Imag Sci* 13: 38-38, 2023 (DOI: 10.25259/jcis_77_2023)
- 34) Takahashi K, Fujikawa M, Ueno T, Ogawa M, Nakasato N, Maeda S: Network analysis of the relationship between social support and quality of life in patients with epilepsy. *Epilepsy Behav* 149: 109504-109504, 2023 (DOI: 10.1016/j.yebeh.2023.109504)
- 35) Kochi R, Osawa S, Jin K, Ishida M, Kanno A, Iwasaki M, Suzuki K, Kawashima R, Tominaga T, Nakasato N: Language MEG predicts postoperative verbal memory change in left mesial temporal lobe epilepsy. *Clinical Neurophysiol* 156: 69-75, 2023 (<https://doi.org/10.1016/j.clinph.2023.09.010>)
- 36) Konomatsu K, Kakisaka Y, Ishida M, Soga T, Ukishiro K, Osawa S, Jin K, Aoki M, Nakasato N: Referral odyssey plot to visualize causes of surgical delay in mesial temporal lobe epilepsy with hippocampal sclerosis. *Epilepsy Behav* 147: 109434, 2023 (<https://doi.org/10.1016/j.yebeh.2023.109434>)
- 37) Kubota T, Jin K, Honoki K, Soga T, Ukishiro K, Kakisaka Y, Aoki M, Nakasato N: Temporomandibular joint dislocation during epileptic seizures in the epilepsy monitoring unit: A case report. *Epileptic Disord* 2023 (doi: 10.1002/epd2.20158. Epub ahead of print)

- 38) Konomatsu K, Kakisaka Y, Jin K, Ukishiro K, Sakata A, Shimogawa T, Morioka T, Kubota T, Soga T, Aoki M, Nakasato N: Dynamic electro-clinical changes corresponding to immediate recovery after glucose administration from insulinoma-induced hypoglycemia: Report of two cases. *Epileptic Disord* 2023 (doi: 10.1002/epd2.20155. Epub ahead of print)
- 39) Takai S, Kanno A, Kawase T, Shirakura M, Suzuki J, Nakasato N, Kawashima R, Katori Y: Possibility of additive effects by the presentation of visual information related to distractor sounds on the contra-sound effects of the N100m responses. *Hear Res* 23;434: 108778, 2023 (doi: 10.1016/j.heares.2023.108778)
- 40) Osawa SI, Suzuki K, Asano E, Ukishiro K, Agari D, Kakinuma K, Kochi R, Jin K, Nakasato N, Tominaga T: Causal involvement of medial inferior frontal gyrus of non-dominant hemisphere in higher order auditory perception: a single case study. *Cortex* 163: 57-65, 2023 (<https://doi.org/10.1016/j.cortex.2023.02.007>)
- 41) Ohseto H, Soga T, Kakisaka Y, Jin K, Ukishiro K, Konomatsu K, Kubota T, Fujimori J, Nakasato N: Ictal chest discomfort in a patient with temporal lobe seizures and amygdala enlargement, *Ep Behav Rep* 21: 100578, 2022 (<https://doi.org/10.1016/j.ebr.2022.100578>)
- 42) Ode R, Fujiwara K, Miyajima M, Yamakawa T, Kano M, Jin K, Nakasato N, Sawai Y, Hoshida T, Iwasaki M, Murata Y, Watanabe S, Watanabe Y, Suzuki Y, Inaji M, Kunii N, Oshino S, Khoo HM, Kishima H, Maehara T: Development of an epileptic seizure prediction algorithm using R-R intervals with self-attentive autoencoder. *Artif Life Robot*, 2022 (<https://doi.org/10.1007/s10015-022-00832-0>)
- 43) Shaaban S, Kakisaka Y, Belal T, Jin K, Osawa SI, Tominaga T, Elmenshawi I, Nakasato N: Distribution of postictal slowing has an additional yield to interictal epileptiform discharge in predicting surgical outcomes in temporal lobe epilepsy. *Epilepsia Open* 7: 802–809, 2022 (<https://doi.org/10.1002/epi4.12660>)
- 44) Kitayama C, Shimada E, Hihara H, Kanno A, Nakasato N, Imai Y, Sato A, Kawashima R, Igarashi K, Kanetaka H: Magnetoencephalographic evaluation of repaired lip sensation in patients with cleft lip. *PLoS One* 17: e0274405, 2022 (<https://doi.org/10.1371/journal.pone.0274405>).
- 45) Kakinuma K, Osawa SI, Hosokawa H, Oyafuso M, Ota S, Kobayashi E, Kawakami N, Ukishiro K, Jin K, Ishida M, Sato T, Sakamoto M, Niizuma K, Tominaga T, Nakasato N, Suzuki K: Determination of language areas in patients with epilepsy using the super-selective Wada test. *IBRO Neurosci Rep* 13: 156-163, 2022 (<https://doi.org/10.1016/j.ibneur.2022.08.002>)
- 46) Shimada E, Hihara H, Kitayama C, Kanno A, Kawashima R, Sato A, Imai Y, Nakasato N, Igarashi K, Kanetaka H: Somatosensory evoked magnetic fields induced by electrical palate stimulation in patients with unilateral cleft lip and palate after palatoplasty. *Neurosci Res* 184: 30-37, 2022 (<https://doi.org/10.1016/j.neures.2022.08.002>)
- 47) Jin K, Obara T, Hirano K, Hirai D, Kiuchi M, Tanaka T, Nakasato N: Prescription trends in anti-seizure medications for adult patients with epilepsy in Japan: A retrospective cohort study using the database of health insurance claims between 2015 and 2019. *Epilepsy Behav* 134:108841, 2022 (<https://doi.org/10.1016/j.yebeh.2022.108841>)
- 48) Ogawa M, Fujikawa M, Tasaki K, Jin K, Kakisaka Y, Nakasato N: Development and validation of the Japanese version of the Epilepsy Stigma Scale in adults with epilepsy. *Epilepsy Behav* 134:108832, 2022 (<https://doi.org/10.1016/j.yebeh.2022.108832>)
- 49) Sakamoto M, Jin K, Kitazawa Y, Kakisaka Y, Nakasato N: Abnormal heart rate variability during non-REM sleep and postictal generalized EEG suppression in focal epilepsy. *Clin Neurophysiol* 140:40-44, 2022 (<https://doi.org/10.1016/j.clinph.2022.05.011>)
- 50) Kuroda N, Suzuki A, Ozawa K, Nagai N, Okuyama Y, Koshiishi K, Yamada M, Raita Y, Kakisaka Y, Nakasato N, Kikukawa M: Educational approaches that enhance online clinical

clerkship during the COVID-19 pandemic. *Intern Med* 2022 (doi.org/10.2169/internalmedicine.9291-21)

- 51) Kuroda N, Kubota T, Horinouchi T, Ikegaya N, Kitazawa Y, Kodama S, Kuramochi I, Matsubara T, Nagino N, Neshige S, Soga T, Takayama Y, Sone D; IMPACT-J EPILEPSY (In-depth Multicenter analysis during Pandemic of Covid19 Throughout Japan for Epilepsy practice) study group, Kanemoto K, Ikeda A, Terada K, Goji H, Ohara S, Hagiwara K, Kamada T, Iida K, Ishikawa N, Shiraishi H, Iwata O, Sugano H, Iimura Y, Higashi T, Hosoyama H, Hanaya R, Shimotake A, Kikuchi T, Yoshida T, Shigeto H, Yokoyama J, Mukaino T, Kato M, Sekimoto M, Mizobuchi M, Aburakawa Y, Iwasaki M, Nakagawa E, Iwata T, Tokumoto K, Nishida T, Takahashi Y, Kikuchi K, Matsuura R, Hamano SI, Fujimoto A, Enoki H, Tomoto K, Watanabe M, Takubo Y, Fukuchi T, Nakamoto H, Kubota Y, Kunii N, Shirota Y, Ishikawa E, Nakasato N, Maehara T, Inaji M, Takagi S, Enokizono T, Masuda Y, Hayashi T: Impact of COVID-19 pandemic on epilepsy care in Japan: A national-level multicenter retrospective cohort study. *Epilepsia Open* 2022 (<https://doi.org/10.1002/epi4.12616>)
- 52) Shimada E, Kanetaka H, Hihara H, Kanno A, Kawashima R, Nakasato N, Igarashi K: Somatosensory evoked magnetic fields caused by mechanical stimulation of the periodontal ligaments. *Heliyon* 8:e09464, 2022 (<https://doi.org/10.1016/j.heliyon.2022.e09464>)
- 53) Kanno A, Nakasato N, Oogane M, Fujiwara K, Nakano T, Arimoto T, Matsuzaki H, Ando Y: Scalp attached tangential magnetoencephalography using tunnel magneto-resistive sensors. *Sci Rep* 12:6106, 2022 (<https://doi.org/10.1038/s41598-022-10155-6>)
- 54) Ukishiro K, Osawa SI, Iwasaki M, Kakisaka Y, Jin K, Uematsu M, Yamamoto T, Tominaga T, Nakasato N: Age-related recovery of daily living activity after one-stage complete corpus callosotomy: a retrospective analysis of 41 cases. *Neurosurgery* 90:547-551, 2022 (<https://doi.org/10.1227/NEU.0000000000001871>)
- 55) Shimoda Y, Beppu K, Ikoma Y, Morizawa YM, Zuguchi S, Hino U, Yano R, Sugiura Y, Moritoh S, Fukazawa Y, Suematsu M, Mushiake H, Nakasato N, Iwasaki M, Tanaka KF, Tominaga T, Matsui K: Optogenetic stimulus-triggered acquisition of seizure resistance. *Neurobiol Dis* 163 105602-105602, 2021 (DOI: 10.1016/j.nbd.2021.105602)
- 56) Takayama Y, Jin K, Osawa SI, Iwasaki M, Ukishiro K, Kakisaka Y, Tominaga T, Yamamoto T, Nakasato N: Epilepsy in five long-term survivors of pineal region tumors. *NMC Case Rep J* 8:773-780, 2021 (doi: 10.2176/nmccrj.cr.2021-0093)
- 57) Shirakura M, Kawase T, Kanno A, Ohta J, Nakasato N, Kawashima R, Katori Y: Different contra-sound effects between noise and music stimuli seen in N1m and psychophysical responses. *PLoS One* 16: e0261637, 2021 (doi: 10.1371/journal.pone.0261637)
- 58) Oogane M, Fujiwara K, Kanno A, Nakano T, Agatsuma H, Arimoto H, Mizukami S, Kumagai S, Matsuzaki H, Nakasato N, Ando Y: Sub-pT magnetic field detection by tunnel magneto-resistive sensors. *Applied Physics Express* 14: 123002, 2021 (<https://doi.org/10.35848/1882-0786/ac3809>)
- 59) Numata-Uematsu Y, Uematsu M, Sakuraba R, Iwasaki M, Osawa S, Jin K, Nakasato N, Kure S: The onset of interictal spike-related ripples facilitates detection of the epileptogenic zone. *Fron Neurol* 12: 724417, 2021 (<https://doi.org/10.3389/fneur.2021.724417>)
- 60) Kuroda N, Kubota T, Horinouchi T, Ikegaya N, Kitazawa Y, Kodama S, Matsubara T, Nagino N, Neshige S, Soga T, Sone D, Takayama Y, Kuramochi I; IMPACT-J EPILEPSY (In-depth Multicenter analysis during Pandemic of Covid19 Throughout Japan for Epilepsy practice) study group, Kanemoto K, Ikeda A, Terada K, Goji H, Ohara S, Hagiwara K, Kamada T, Iida K, Ishikawa N, Shiraishi H, Iwata O, Sugano H, Iinuma Y, Higashi T, Hosoyama H, Hanaya R, Shimotake A, Kikuchi T, Yoshida T, Shigeto H, Yokoyama J, Makaino T, Kato M, Sekimoto M, Mizobuchi M, Abukawa Y, Iwasaki M, Nakagawa E,

- Iwata T, Tomato K, Nishida T, Takahashi Y, Kikuchi K, Matsuura R, Hamano SI, Yamanouchi H, Watanabe S, Fujimoto A, Nakamoto H, Kubota Y, Kunii N, Shirota Y, Ishikawa E, Nakasato N, Maehara T, Inaji M, Takagi S, Enokizono T, Masuda Y, Hayashi T: Risk factors for psychological distress in electroencephalography technicians during the COVID-19 pandemic: A national-level cross-sectional survey in Japan. *Epilepsy Behav* 125:108361, 2021 (doi:0.1016/j.yebeh.2021.108361)
- 61) Nakasato N: Biomagnetometry is warming up from liquid helium to room temperature. *Clin Neurophysiol* 132: 2666-2667, 2021 (<https://doi.org/10.1016/j.clinph.2021.07.007>)
 - 62) Agari D, Jin K, Kakisaka Y, Kanno A, Ishida M, Kawashima R, Nakasato N: Magnetoencephalography to confirm epileptiform discharges mimicking small sharp spikes in temporal lobe epilepsy. *Clin Neurophysiol* 132: 1785-1789, 2021 (doi.org/10.1016/j.clinph.2021.03.049)
 - 63) Ogawa M, Fujikawa M, Jin K, Kakisaka Y, Ueno T, Nakasato N: Acceptance of disability predicts quality of life in patients with epilepsy. *Epilepsy Behav* 120: 107979, 2021 (DOI: 10.1016/j.yebeh.2021.107979)
 - 64) Hosokawa H, Kanno S, Nishio Y, Kawasaki I, Hirayama K, Sunaga A, Shoji N, Iwasaki M, Nakasato N, Tominaga T, Suzuki K: Facial memory ability and self-awareness in patients with temporal lobe epilepsy after anterior temporal lobectomy. *PLoS ONE* 16: e0248785, 2021 (doi.org/10.1371/journal.pone.0248785)
 - 65) Iwaki H, Sonoda M, Osawa SI, Silverstein BH, Mitsushashi T, Ukishiro K, Takayama Y, Kambara T, Kakinuma K, Suzuki K, Tominaga T, Nakasato N, Iwasaki M, Asano E: Your verbal questions beginning with 'what' will rapidly deactivate the left prefrontal cortex of listeners. *Sci Reports* 11: 5257, 2021 (doi.org/10.1038/s41598-021-84610-1)
 - 66) Gabriel F, Kakisaka Y, Jin K, Osawa SI, Iwasaki M, Tominaga T, Nakasato N: External validation of the Epilepsy Surgery Grading Scale in a Japanese cohort of patients with epilepsy. *Epileptic Disord* 23: 104-110, 2021 (DOI: 10.1684/epd.2021.1238)
 - 67) Nomura Y, Kawase T, Kanno A, Nakasato N, Kawashima R, Katori Y: N100m latency shortening caused by selective attention. *Brain Res* 1751:147177, 2021 (doi.org/10.1016/j.brainres.2020.147177)
 - 68) Itabashi I, Jin K, Sato S, Suzuki H, Iwasaki M, Kitazawa Y, Kakisaka Y, Nakasato N: Initial delta and delayed theta/alpha pattern in the temporal region on ictal EEG suggests purely hippocampal epileptogenicity in patients with mesial temporal lobe epilepsy. *Clin Neurophysiol* 132:737-743, 2021 (doi.org/10.1016/j.clinph.2020.11.041)
 - 69) Suzuki M, Jin K, Kitazawa Y, Fujikawa M, Kakisaka Y, Sato S, Mugikura S, Nakasato N. Diagnostic yield of seizure recordings and neuroimaging in patients with focal epilepsy without interictal epileptiform discharges. *Epilepsy Behav* 112:107468, 2020 (doi.org/10.1016/j.yebeh.2020.107468)
 - 70) Ishida M, Jin K, Kakisaka Y, Kanno A, Kawashima R, Nakasato N. Awake state-specific suppression of primary somatosensory evoked response correlated with duration of temporal lobe epilepsy. *Sci Rep* 10:15895, 2020 (DOI: 10.1038/s41598-020-73051-x)
 - 71) Ishikawa T, Obara T, Jin K, Nishigori H, Miyakoda K, Akazawa M, Nakasato N, Yaegashi N, Kuriyama S, Mano N: Folic acid prescribed to prenatal and postpartum women who are also prescribed antiepileptic drugs in Japan: Data from a health administrative database. *Birth Defects Res*, 2020 (doi: 10.1002/bdr2.1748)
 - 72) Chonan M, Saito R, Kanamori M, Osawa SI, Watanabe M, Suzuki H, Nakasato N, Tominaga T: Experience of low dose perampanel to add-on in glioma patients with levetiracetam-uncontrollable epilepsy. *Neurol Med Chir* 60: 37-44, 2020 (DOI: 10.2176/nmc.0a.2018-0245)

- 73) Hihara H, Kanetaka H, Kanno A, Simada E, Koeda S, Kawashima R, Nakasato N, Sasaki K: Somatosensory evoked magnetic fields of periodontal mechanoreceptors. *Heliyon* 6: e03244, 2020 (DOI: 10.1016/j.heliyon.2020.e03244)
- 74) Ishikawa T, Obara T, Jin K, Nishigori H, Miyakoda K, Suzuka M, Ikeda-Sakai Y, Akazawa M, Nakasato N, Yaegashi N, Kuriyama S, Mano N: Examination of the prescription of antiepileptic drugs to prenatal and postpartum women in Japan from a health administrative database. *Pharmacoepidemiol Drug Safety* 28: 804-811, 2019 (DOI: 10.1002/pds.4749)
- 75) Iwaki H, Jin K, Sugawara N, Nakasato N, Kaneko S: Perampanel-induced weight gain depends on level of intellectual disability and its serum concentration. *Epilepsy Res* 152:1-6, 2019 (DOI: 10.1016/j.eplepsyres.2019.02.011)
- 76) Matsumura N, Nobusawa S, Ito J, Kakita A, Suzuki H, Fujii Y, Fukuda M, Iwasaki M, Nakasato N, Tominaga T, Natsume A, Mikami Y, Shinojima, Yamazaki T, Nakazato Y, Hirato J, Yokoi H: Multiplex ligation-dependent probe amplification analysis is useful for detecting a copy number gain of the FGFR1 tyrosine kinase domain in dysembryoplastic neuroepithelial tumors. *J Neuro-oncol* 143: 27-33, 2019 (DOI: 10.1007/s11060-019-03138-7)
- 77) Morishita Y, Mugikura S, Mori N, Tamura H, Sato S, Akashi T, Jin K, Nakasato N, Takase K: Atrophy of the ipsilateral mammillary body in unilateral hippocampal sclerosis shown by thin-slice-reconstructed volumetric analysis. *Neuroradiology* 61: 515-523, 2019 (DOI: 10.1007/s00234-019-02158-4)
- 78) Scherg M, Berg P, Nakasato N, Beniczky S: Taking the EEG back into the brain: the power of multiple discrete sources. *Frontiers Neurol* 10: 855-855 2019 (DOI: 10.3389/fneur.2019.00855)
- 79) Ninomiya A, Iwasaki M, Kakisaka Y, Jin K, Nakasato N, Tominaga T: Apparently diffuse epileptic abnormalities caused by a small cavernous malformation: a surgical case report. *Epilepsy & Seizure* 10: 107-113, 2018 (DOI: <https://doi.org/10.3805/eands.10.107>)
- 80) Usui N, Akamatsu N, Nakasato N, Ohnishi A, Kaneko S, Hiramatsu H, Saeki K, Miyagishi H, Inoue Y: Long-term tolerability, safety and efficacy of adjunctive perampanel in the open-label, dose-ascending Study 231 and extension Study 233 in Japanese patients with epilepsy. *Seizure* 62:26-32, 2018 (doi: 10.1016/j.seizure.2018.09.012)
- 81) Hari R, Baillet S, Barnes G, Forss N, Gross J, Hamalainen M, Jensen O, Kakigi R, Mauguiere F, Nakasato N, Puce A, Romani GL, Schnitzler A, Taulu S: Reply to "Clinical practice guidelines or clinical research guidelines?". *Clin Neurophysiol* 129: 2056-2057, 2018 (DOI: 10.1016/j.clinph.2018.06.016)
- 82) Kakisaka Y, Jin K, Fujikawa M, Kitazawa Y, Nakasato N: Teleconference-based education of epileptic seizure semiology. *Epilepsy Res* 145: 73-76, 2018 (DOI: 10.1016/j.eplepsyres.2018.06.007)
- 83) Kitazawa Y, Jin K, Kakisaka Y, Fujikawa M, Tanaka F, Nakasato N: Predictive factors of higher drug load for seizure freedom in idiopathic generalized epilepsy: Comparison between juvenile myoclonic epilepsy and other types. *Epilepsy Res* 144: 20-24, 2018 (DOI: 10.1016/j.eplepsyres.2018.04.009)
- 84) Hari R, Baillet S, Barnes G, Burgess R, Forss N, Gross J, Hamalainen M, Jensen O, Kakigi R, Mauguiere F, Nakasato N, Puce A, Romani GL, Schnitzler A, Taulu S: IFCN-endorsed practical guidelines for clinical magnetoencephalography (MEG). *Clin Neurophysiol* 129: 1720-1747, 2018 (<https://doi.org/10.1016/j.clinph.2018.03.042>)
- 85) Iwaki H, Jin K, Fujikawa M, Nakasato N, Kaneko S: Topiramate-induced weight loss depends on level of intellectual disability in patients with epilepsy. *Epilepsy Behav* 83: 87-91, 2018 (DOI: 10.1016/j.yebeh.2018.03.010)
- 86) Fujiwara K, Oogane M, Kanno A, Imada M, Jono J, Terauchi T, Okuno T, Aritomi Y, Morikawa M, Tsuchida M, Nakasato N, Ando Y: Magnetocardiography and

magnetoencephalography measurements at room temperature using tunnel magneto-resistance. *Applied Physics Express* 11, 023001, 2018 (<https://doi.org/10.7567/APEX.11.023001>)

- 87) Kato K, Kakisaka Y, Jin K, Fujikawa M, Nakamura M, Suzuki N, Kondo M, Fukuda K, Shimokawa H, Nakasato N: Stressful medical explanation may cause syncope in patients with emotion-triggered neurocardiogenic syncope. *Pacing Clin Electrophysiol* 41(1): 96-98. 2018 (doi: 10.1111/pace.13199, PMID: 28925543)
- 88) Yahata I, Kawase T, Kanno A, Hidaka H, Sakamoto S, Nakasato N, Kawashima R, Katori Y: Effects of visual speech on early auditory evoked fields - From the viewpoint of individual variance. *PLoS One* 31:12(1):e0170166, 2017 (doi: 10.1371/journal.pone.0170166, PMID: 28141836)
- 89) Kakisaka Y, Jin K, Fujikawa M, Kitazawa Y, Kato K, Nakasato N: Levetiracetam improves symptoms of multiple chemical sensitivity: Case report. *J Med Invest* 64: 296-298, 2017 (doi: 10.2152/jmi.64.296, PMID: 28955000)
- 90) Hihara H, Kanetaka H, Kanno A, Koeda S, Nakasato N, Kawashima R, Sasaki K: Evaluating age-related change in lip somatosensation using somatosensory evoked magnetic fields. *PLoS One* 12(6): e0179323, 2017 (doi: 10.1371/journal.pone.0179323, PMID: 28617862)
- 91) Kawase T, Yahata I, Kanno A, Sakamoto S, Takanashi Y, Takata S, Nakasato N, Kawashima R, Katori Y: Impact of audio-visual asynchrony on lip-reading effects -neuromagnetic and psychophysical study. *PLoS One* 28: 11:e0168740, 2016 (doi: 10.1371/journal.pone.0168740, PMID: 28030631)
- 92) Takezawa Y, Kakisaka Y, Wakusawa K, Ishitobi M, Hino-Fukuyo N, Inui T, Endo W, Anzai M, Nakasato N, Haginoya K: The efficacy of lamotrigine for atypical absence status epilepticus in a case of perioral myoclonia with absence. *Epilepsy & Seizure (J Jpn Ep Soc)* 8(1): 1-8, 2016
- 93) Takahashi Y, Iwasaki M, Nakagawa A, Sato S, Nakasato N, Tominaga T: Predicting tissue breaking strengths in the epileptic brain with T2 relaxometry: Application of pulsed water jet dissection system for epilepsy surgery. *J Neurol Surg A Cent Eur Neurosurg* 2016 [Epub ahead of print] (DOI: 10.1055/s-0036-1593959, PMID: 27903016)
- 94) Nakamura M, Jin K, Kato K, Itabashi H, Iwasaki M, Kakisaka Y, Nakasato N: Differences in sleep architecture between left and right temporal lobe epilepsy. *Neurol Sci* 2016 [Epub ahead of print] (DOI: 10.1007/s10072-016-2731-6, PMID: 27761840)
- 95) Iwasaki M, Jin K, Nakasato N, Tominaga T: Non-invasive evaluation for epilepsy surgery. *Neurol Med Chir (Tokyo)* 56: 632-640, 2016 (DOI: 10.2176/nmc.ra.2016-0186, PMID: 27627857)
- 96) Fujikawa M, Nishio Y, Kakisaka Y, Ogawa N, Iwasaki M, Nakasato N: Fantastic confabulation in right frontal lobe epilepsy. *Epilepsy Behav Case Rep* 6:55-57, 2016 (PMID: 27630818)
- 97) Sato S, Iwasaki M, Suzuki H, Mugikura S, Jin K, Tominaga T, Takase K, Takahashi S, Nakasato N: T2 relaxometry improves detection of non-sclerotic epileptogenic hippocampus. *Epilepsy Res* 126: 1-9 2016 (doi: 10.1016/j.eplepsyres.2016.06.001, PMID: 27400070)
- 98) Khalil AF, Iwasaki M, Nishio Y, Jin K, Nakasato N, Tominaga T: Verbal dominant memory impairment and low risk for post-operative memory worsening in both left and right temporal lobe epilepsy associated with hippocampal sclerosis: *Neurol Med Chir (Tokyo)* [Epub ahead of print], 2016 (DOI: 10.2176/nmc.oa.2016-0004, PMID: 27250575)
- 99) Kakisaka Y, Sato S, Takayanagi M, Nakasato N: Epilepsy case with focal cerebral herniation into the sigmoid sinus. *Neurol Sci* 37: 487-488, 2016 (PMID: 26670592)

- 100) Jin K, Nakasato N: Rhythmic and periodic EEG patterns of 'ictal-interictal uncertainty': Red flag to switch from routine to continuous EEG monitoring. *Clin Neurophysiol* 127: 993, 2016 (PMID: 26652113)
- 101) Jin K, Nakasato N: Ictal pattern on scalp EEG at onset of seizure in temporal lobe epilepsy: Old and new problems for epileptologists. *Clin Neurophysiol* 127: 987-988, 2016 (PMID: 26304794)
- 102) Sakuraba R, Iwasaki M, Okumura E, Jin K, Kakisaka Y, Kato K, Tominaga T, Nakasato N: High frequency oscillations are less frequent but more specific to epileptogenicity during rapid eye movement sleep. *Clin Neurophysiol* 127: 179-186, 2016 (PMID: 26073183)
- 103) Iwasaki M, Uematsu M, Hino-Fukuyo N, Osawa SI, Shimoda Y, Jin K, Nakasato N, Tominaga T: Clinical profiles for seizure remission and developmental gains after total corpus callosotomy. *Brain Dev* 38: 47-53, 2016 (DOI: 10.1016/j.braindev.2015.04.010, PMID: 25958823)
- 104) Sauro KM, Wiebe S, Dunkley C, Janszky J, Kumlien E, Moshe S, Nakasato N, Pedley TA, Perucca E, Senties H, Thomas SV, Wang Y, Wilmschurst J, Jette N: The current state of epilepsy guidelines: A systematic review. *Epilepsia* 57:13-23, 2016 (doi:10.1111/epi.13273, PMID: 26659723)
- 105) Eldin SS, Iwasaki M, Nishio Y, Jin K, Nakasato N, Tominaga T: Resection of focal cortical dysplasia located in the upper pre-central gyrus. *Epileptic Disord* 17: 479-84, 2015 (doi: 10.1684/epd.2015.0771, PMID: 26575264)
- 106) Iwasaki M, Uematsu M, Osawa S, Shimoda Y, Jin K, Nakasato N, Tominaga T: Interhemispheric vertical hemispherotomy: a single center experience. *Pediatr Neurosurg* 50: 295-300, 2015 (DOI: 10.1159/000437145, PMID: 26277842)
- 107) Osawa SI, Iwasaki M, Suzuki H, Nakasato N, Tominaga T: Occult dual pathology in mesial temporal lobe epilepsy. *Neurol Sci* 36:1743–1745, 2015 (PMID: 26024729)
- 108) Fujikawa M, Kishimoto Y, Kakisaka Y, Jin K, Kato K, Iwasaki M, Nakasato N: Obsessive-compulsive behavior induced by levetiracetam. *J Child Neurol* 30: 942-944, 2015 (PMID: 25008911)
- 109) Kakisaka Y, Jin K, Kato K, Iwasaki M, Nakasato N: Seizure freedom after lamotrigine rash: a peculiar phenomenon in epilepsy. *Int Med* 53: 2521-2522, 2014 (PMID: 25366014)
- 110) Kato K, Jin K, Itabashi H, Iwasaki M, Kakisaka Y, Aoki M, Nakasato N: Earlier tachycardia onset in right than left mesial temporal lobe seizures. *Neurology* 83: 1232-1236, 2014 (PMID: 25194011)
- 111) Usubuchi H, Kawase T, Kanno A, Yahata I, Miyazaki H, Nakasato N, Kawashima R, Katori Y: Effects of contralateral noise on the 20-Hz auditory steady state response - magnetoencephalography study. *PLoS ONE* 9(6): e99457, 2014
- 112) Itabashi H, Jin K, Iwasaki M, Okumura E, Kanno A, Kato K, Tominaga T, Kawashima R, Nakasato N: Electro- and magneto-encephalographic spike source localization of small focal cortical dysplasia in the dorsal peri-rolandic region. *Clin Neurophysiol* 125: 2358-2363, 2014 (PMID: 24856458)
- 113) Jin K, Nakasato N: Long-cherished dreams for epileptologists and clinical neurophysiologists: Automatic seizure detection in long-term scalp EEG. *Clin Neurophysiol* 125:1289-1290, 2014 (PMID: 24439072)
- 114) Kakisaka Y, Fujikawa M, Kaneko S, Nakasato N: Prolonged depersonalization/derealization-like symptom after migraine headache: a case report. *Neurol Sci* 35: 1483-1484, 2014 (PMID: 24752392)
- 115) Haginoya K, Uematsu M, Munakata M, Kakisaka Y, Kikuchi A, Nakayama T, Hino-Fukuyo N, Tsuburaya R, Kitamura T, Sato-Shirai I, Abe Y, Matsumoto Y, Wakusawa K, Kobayashi T, Ishitobi M, Togashi N, Iwasaki M, Nakasato N, Iinuma K: The usefulness of subtraction

- ictal SPECT and ictal near-infrared spectroscopic topography in patients with West syndrome. *Brain Dev* 35: 887-893, 2013
- 116) Kawase T, Kanno A, Takata Y, Nakasato N, Kawashima R, Kobayashi T: Positive auditory cortical responses in patients with absent brainstem response. *Clin Neurophysiol.* 125: 148-153, 2014
 - 117) Kumabe T, Sato K, Iwasaki M, Shibahara I, Kawaguchi T, Saito R, Kanamori M, Yamashita Y, Sonoda Y, Iizuka O, Suzuki K, Nagamatsu K, Seki S, Nakasato N, Tominaga T. Summary of 15 years experience of awake surgeries for neuroepithelial tumors in Tohoku university. *Neurol Med Chir (Tokyo).* 53: 455-466, 2013
 - 118) Okumura E, Iwasaki M, Sakuraba R, Itabashi I, Osawa SI, Jin K, Itabashi H, Kato K, Kanno A, Tominaga T, Nakasato N: Time-varying inter-hemispheric coherence during corpus callosotomy. *Clin Neurophysiol* 124: 2091-2100, 2013 (PMID:23756060)
 - 119) Osawa S, Iwasaki M, Hosaka R, Matsuzaka Y, Tomita H, Ishizuka T, Sugano E, Okumura E, Yawo H, Nakasato N, Tominaga T, Mushiake H: Optogenetically induced seizure and the longitudinal hippocampal network dynamics. *PLoS One.* 10;8(4):e60928, 2013
 - 120) Shiraishi H, Haginoya K, Nakagawa E, Saitoh S, Kaneko Y, Nakasato N, Chan D, Otsubo H: Magnetoencephalography localizing spike sources of atypical benign partial epilepsy. *Brain Dev* 36:21-27, 2014 (PMID: 23384398)
 - 121) Iwasaki, M, Uematsu M, Nakayama T, Hino-Fukuyo N, Sato Y, Kobayashi T, Haginoya K, Osawa S, Jin K, Nakasato N, Tominaga T: Parental satisfaction and seizure outcome after corpus callosotomy in patients with infantile or early childhood onset epilepsy. *Seizure.* 22:303-305, 2013
 - 122) Shibahara I, Osawa SI, Kon H, Morita T, Nakasato N, Tominaga T, Narita N: Increase in the number of patients with seizures following the Great East-Japan Earthquake. *Epilepsia* 54: e49-52, 2013
 - 123) Nakasato N: Does measurement of event-related gamma-augmentation replace electrical stimulation via intracranial electrodes? *Clin Neurophysiol* 124: 829-830, 2013
 - 124) Iwasaki M, Uematsu M, Sato Y, Nakayama T, Haginoya K, Osawa S, Itabashi H, Jin K, Nakasato N, Tominaga T: Complete remission of seizures after corpus callosotomy. *J Neurosurg Pediatr* 10: 7-13. 2012
 - 125) Tanji K, Iwasaki M, Nakasato N, Suzuki K: Face specific broadband electrocorticographic spectral power change in the rhinal cortex. *Neurosci Lett* 515: 66-70. 2012
 - 126) Takata Y, Kawase T, Nakasato N, Kanno A, Kobayashi T: Auditory evoked magnetic fields in patients with absent brainstem responses due to auditory neuropathy with optic atrophy. *Clin Neurophysiol* 123: 985-992, 2012
 - 127) Park HM, Nakasato N, Tominaga T: Localization of abnormal discharges causing insular epilepsy by magnetoencephalography. *Tohoku J Exp Med* 226: 207-211, 2012
 - 128) Kawase T, Maki A, Kanno A, Nakasato N, Sato M, Kobayashi T: Contralateral white noise attenuates 40-Hz auditory steady-state fields but not N100m in auditory evoked fields. *Neuroimage* 59: 1037-1042, 2012
 - 129) Izumi S, Oouchida Y, Okita T, Suzuki E, Abe T, Nagatomi R, Nakasato N, Takagi T: Development of an integration circuit to measure pulsed magnetic field: evaluation of its usefulness by comparing measured with theoretical magnetic field structure. *Jpn J Compr Rehabil Sci* 3: 42-50, 2012
 - 130) Iwasaki M, Nakasato N, Kakisaka Y, Kanno A, Uematsu M, Haginoya K, Tominaga T: Lateralization of interictal spikes after corpus callosotomy. *Clin Neurophysiol.* 122: 2121-2127, 2011

- 131) Takada S, Iwasaki M, Suzuki H, Nakasato N, Kumabe T, Tominaga T: Angiocentric glioma and surrounding cortical dysplasia manifesting as intractable frontal lobe epilepsy--case report. *Neurol Med Chir (Tokyo)*. 51: 522-526, 2011
- 132) Kakisaka Y, Iwasaki M, Haginoya K, Kanno A, Tsuchiya S, Nakasato N: Somatotopic distribution of peri-rolandic spikes may predict prognosis in pediatric-onset epilepsy with sensorimotor seizures. *Clin Neurophysiol*. 122: 869-873, 2011
- 133) Nakasato N: Point-to-point projection from muscle afferent to area 4 cortex. *Clin Neurophysiol* 122: 438-439, 2011
- 134) Uematsu M, Haginoya K, Togashi N, Hino-Fukuyo N, Nakayama T, Kikuchi A, Abe Y, Wakusawa K, Matsumoto Y, Kakisaka Y, Kobayashi T, Hirose M, Yokoyama H, Inuma K, Iwasaki M, Nakasato N, Kaneta T, Akasaka M, Kamei A, Tsuchiya S: Unique discrepancy between cerebral blood flow and glucose metabolism in hemimegalencephaly. *Epilepsy Res* 92: 201-208, 2010
- 135) Takeda H, Maruyama S, Yambe T, Nakasato N, Komiya A: Brain mapping method utilizing rapid cooling probe. *I J Trans Phenomena* 11: 147-163, 2009
- 136) Yoshizaki N, Kawase T, Nakasato N, Kanno A, Okitsu T, Sunose H, Kobayashi T: Auditory evoked magnetic fields in children with functional hearing loss. *Int J Ped Otorhinolaryng* 73: 1368-1372, 2009
- 137) Ohtomo S, Nakasato N, Shimizu H, Seki S, Kanno A, Kumabe T, Tominaga T: Temporoparietal theta activity correlates with misery perfusion in arterial occlusive disease. *Clin Neurophysiol* 120: 1227-1234, 2009
- 138) Matsushita M, Nakasato N, Nakagawa H, Kanno A, Kaiho Y, Kawamorita N, Arai Y: Evoked magnetic fields as a possible optimization tool of sacral surface therapeutic stimulation. *J Clin Neurosci* 16: 1330-1333, 2009
- 139) Iwasaki M, Nakasato N, Suzuki H, Tominaga T: Endfolium sclerosis in temporal lobe epilepsy diagnosed preoperatively by 3-tesla magnetic resonance imaging. *J Neurosurg* 110: 1124-1126, 2009
- 140) Kakisaka Y, Nakasato N, Haginoya K, Kanno A, Tsuchiya S: Sensorimotor seizures of pediatric onset with unusual posteriorly oriented rolandic spikes. *Epilepsy Res* 84: 153-158, 2009
- 141) Matsushita M, Nakasato N, Nakagawa H, Kanno A, Kaiho Y, Arai Y: Primary somatosensory evoked magnetic fields elicited by sacral surface electrical stimulation. *Neurosci Lett* 431: 77-80, 2008
- 142) Jin K, Nakasato N, Shamoto H, Kanno A, Itoyama Y, Tominaga T: Neuromagnetic localization of spike sources in perilesional, contralateral mirror, and ipsilateral remote areas in patients with cavernoma. *Epilepsia* 48: 2160-2166, 2007
- 143) Salayev KA, Nakasato N, Ishitobi M, Shamoto H, Kanno A, Inuma K: Spike orientation may predict epileptogenic side across cerebral sulci containing the estimated equivalent dipole. *Clin Neurophysiol* 117: 1836-1843, 2006
- 144) Salayev KA, Nakasato N, Ishitobi M, Shamoto H, Kanno A, Tominaga T, Inuma K: Evaluation of interhemispheric time difference by magnetoencephalography before and after total callosotomy: report of two cases. *Neurol Med Chir* 46: 136-142, 2006
- 145) Murayama S, Nakasato N, Nakahara H, Kanno A, Itoh H: Neuromagnetic evidence that gingiva area is adjacent to tongue area in human primary somatosensory cortex. *Tohoku J Exp Med* 207: 191-196 (<https://doi.org/10.1620/tjem.207.191>)
- 146) Sasaki T, Kawase T, Nakasato N, Kanno A, Ogura M, Tominaga T, Kobayashi T: Neuromagnetic evaluation of binaural unmasking. *NeuroImage* 25: 684-689, 2005

- 147) Tanji K, Suzuki K, Delorme A, Shamoto H, Nakasato N: High-frequency gamma band activity in the basal temporal cortex during picture naming and lexical decision tasks. *J Neurosci* 25: 3287-3293, 2005
- 148) Ishitobi M, Nakasato N, Yamamoto K, Iinuma K: Opercular to interhemispheric source distribution of benign rolandic spikes of childhood. *NeuroImage* 25: 417-423, 2005
- 149) Seki S, Nakasato N, Ohtomo S, Kanno A, Shimizu H, Tominaga T: Neuromagnetic measurement of unilateral temporo-parietal theta rhythm in patients with internal carotid artery occlusive disease. *NeuroImage* 25: 502-510, 2005
- 150) Iwasaki M, Pestana E, Burgess RC, Luders HO, Shamoto H, Nakasato N: Detection of epileptiform activity by human interpreters: blinded comparison between electroencephalography and magnetoencephalography. *Epilepsia* 46: 59-68, 2005
- 151) Kumabe T, Nakasato N, Nagamatsu K, Tominaga T: Intraoperative localization of the lip sensory area by somatosensory evoked potentials-technical note- *J Clin Neurosci* 12: 66-70, 2005
- 152) Ishitobi M, Nakasato N, Yoshimoto T, Iinuma K: Abnormal primary somatosensory function in unilateral polymicrogyria: an MEG study. *Brain Dev* 27: 22-29, 2005
- 153) Kanno A, Nakasato N, Nagamine Y, Tominaga T: Non-transcallosal ipsilateral area 3b responses to median nerve stimulus. *J Clin Neurosci* 11: 868-871, 2004
- 154) Inoue T, Fujimura M, Kumabe T, Nakasato N, Higano S, Tominaga T: Combined three-dimensional anisotropy contrast imaging and magnetoencephalography guidance to preserve visual function in a patient with an occipital lobe tumor. *Minim Invasive Neurosurg*, 7:249-252, 2004
- 155) Hashimoto I, Kakigi R, Nagamine T, Nakasato N, Shiraishi H, Watanabe Y: Draft guideline for clinical application of magnetoencephalography. *Jpn J Clin Neurophysiol* 32(4): suppl 21-43, 2004
- 156) Yu HY, Nakasato N, Iwasaki M, Shamoto H, Nagamatsu K, Yoshimoto T: Neuromagnetic separation of secondarily bilateral synchronized spike foci: report of three cases. *J Clin Neurosci* 11: 644-648, 2004
- 157) Park HM, Nakasato N, Iwasaki M, Shamoto H, Tominaga T, Yoshimoto T: Comparison of magnetoencephalographic spikes with and without concurrent electroencephalographic spikes in extratemporal epilepsy. *Tohoku J Exp Med* 203: 165-174, 2004
- 158) Nakahara H, Nakasato N, Kanno A, Murayama S, Hatanaka K, Itoh H, Yoshimoto T: Somatosensory evoked fields for gingiva, lip and tongue. *J Dent Res* 83:307-311, 2004
- 159) Iwasaki M, Nakasato N, Shamoto H, Yoshimoto T: Focal magnetoencephalographic spikes in the superior temporal plane undetected by scalp EEG. *J Clin Neurosci* 10:236-238, 2003
- 160) Kanno A, Nakasato N, Hatanaka K, Yoshimoto T: Ipsilateral area 3b responses to median nerve somatosensory stimulation. *Neuroimage* 18:169-177, 2003
- 161) Iwasaki M, Nakasato N, Shamoto H, Nagamatsu K, Kanno A, Hatanaka K, Yoshimoto T: Surgical implications of neuromagnetic spike localization in temporal lobe epilepsy. *Epilepsia* 43: 415-424, 2002
- 162) Shamoto H, Nakajima T, Nakasato N, Iwasaki M, Shirane R, Itoh H, Yoshimoto T: Mesial temporal lobe epilepsy with lateral temporal lobe abnormalities in magnetoencephalography and glucose metabolism. *J Clin Neurosci* 9: 192-194, 2002
- 163) Nakasato N, Itoh H, Hatanaka K, Nakahara H, Kanno A, Yoshimoto T: Movement-related magnetic fields to tongue protrusion. *NeuroImage* 14: 924-935, 2001
- 164) Iwasaki M, Nakasato N, Kanno A, Hatanaka K, Nagamatsu K, Nagamine Y, Yoshimoto T: Somatosensory evoked fields in patients with comatose survivors after severe head injury. *Clinical Neurophysiol*, 112: 204-210, 2001

- 165) Nagamatsu K, Nakasato N, Hatanaka K, Kanno A, Iwasaki M, Yoshimoto T: Neuromagnetic detection and localization of N15, the initial response to trigeminal stimulus. *NeuroReport* 12:1-5, 2001
- 166) Suzuki K, Okuda J, Otsuka Y, Sugawara A, Hatanaka K, Nakasato N, Kanno A, Yoshimoto T, Fujii T, Yamadori A: Judging semantic and episodic incongruity -a magnetoencephalographic study-. *NeuroReport* 12: 195-199, 2001
- 167) Ishitobi M, Nakasato N, Suzuki K, Nagamatsu K, Shamoto H, Yoshimoto T: Remote discharges in the posterior language area during basal temporal stimulation. *NeuroReport* 11: 2997-3000, 2000
- 168) Kanno A, Nakasato N, Murayama N, Yoshimoto T: Middle and long latency peak sources in auditory magnetic fields for tone burst in humans. *Neurosci Lett* 293: 187-190, 2000
- 169) Kumabe T, Nakasato N, Inoue T, Yoshimoto T: Primary thumb sensory cortex located at the lateral shoulder of the inverted omega-shape on the axial images of the central sulcus. *Neurol Med Chir (Tokyo)* 40:393-403, 2000
- 170) Sakurada K, Kayama T, Sato S, Saito S, Kuroki A, Kondo R, Nakasato N, Yoshimoto T: Motor area cavernous angioma: case report. *Surg Neurol* 53:337-339,2000
- 171) Inoue T, Shimizu H, Nakasato N, Yoshimoto T: Accuracy and limitation of functional magnetic resonance imaging for identification of the central sulcus: comparison with magnetoencephalography in patients with brain tumors. *NeuroImage* 10:738-748, 1999
- 172) Asano E, Ishikawa S, Otsuki T, Nakasato N, Yoshimoto T: Surgical treatment of intractable epilepsy originating from the primary sensory area of the hand - Case report -. *Neuro Med Chir* 39: 246-250, 1999
- 173) Tretyakov A, Chen Z, Takayasu H, Nakasato N: Analysis of spontaneous magnetoencephalography data by similarity measures, *Physica A: Statistical Mechanics and its Applications* 270: 543-551, 1999
- 174) Takahashi T, Nakasato N, Yokoyama H, Tsukahara Y: Low luminance visual stimuli compared to stroboscopic IPS in eliciting PPR in photosensitive patients. *Epilepsia* 40 Suppl 4: 44-49, 1999
- 175) Nakagawa H, Namima T, Aizawa M, Uchi K, Kaiho Y, Yoshikawa K, Orikasa S, Nakasato N: Somatosensory evoked magnetic fields elicited by dorsal penile, posterior tibial and median nerve stimulation. *Electroencephalogr Clin Neurophysiol* 108: 57-61, 1998
- 176) Ohtomo S, Nakasato N, Kanno A, Hatanaka K, Shirane R, Mizoi K, Yoshimoto T: Hemispheric asymmetry of the auditory evoked N100m response in relation to the crossing point between the central sulcus and sylvian fissure. *Electroencephalogr Clin Neurophysiol* 108: 219-225, 1998
- 177) Kumabe T, Nakasato N, Suzuki K, Sato K, Sonoda Y, Kawagishi J, Yoshimoto T: Two-staged resection of a left frontal astrocytoma involving the operculum and insula using intraoperative neurophysiological monitoring -case report-. *Neurol Med Chir (Tokyo)* 38: 503-507, 1998
- 178) Shida N, Nakasato N, Mizoi K, Kanaki M, Yoshimoto T: Symptomatic vessel narrowing caused by spontaneous rupture of craniopharyngioma cyst. Case report. *Neurol Med Chir* 38: 666-668, 1998
- 179) Chen Z, Tretyakov A, Takayasu H, Nakasato N: Spectral analysis of multichannel MEG data. *Fractals* 6: 395-400, 1998
- 180) Nakasato N, Kumabe T, Kanno A, Ohtomo S, Mizoi K, Yoshimoto T: Neuromagnetic evaluation of cortical auditory function in patients with temporal lobe tumors. *J Neurosurg* 86: 610-618, 1997
- 181) Mino K, Niki N, Nakasato N, Yoshimoto T: An estimation algorithm for neuromagnetic source distribution using MRI information. *IEEE Trans Nucl Sci* 44: 230-234, 1997

- 182) Hatanaka K, Nakasato N, Seki K, Mizoi K, Yoshimoto T: Striate cortical generators of the N75, P100 and N145 components localized by pattern reversal visual evoked magnetic fields. *Tohoku J Exp Med* 182: 9-14, 1997
- 183) Suzuki K, Okuda J, Nakasato N, Kanno A, Hatanaka K, Yamadori A, Fujii T, Yoshimoto T: Auditory evoked magnetic fields in patients with right hemisphere language dominance. *Neuroreport* 8: 3363-3366, 1997
- 184) Shimizu H, Nakasato N, Mizoi K, Yoshimoto T: Localizing the central sulcus by functional MRI and MEG. *Clin Neurol Neurosurg* 99: 235-238, 1997
- 185) Kawamura T, Nakasato N, Seki K, Kanno A, Fujita S, Fujiwara S, Yoshimoto T: Neuromagnetic evidence of pre- and post-central cortical sources of somatosensory evoked responses. *Electroencephalogr Clin Neurophysiol* 100: 44-50, 1996
- 186) Nakasato N, Seki K, Kawamura T, Fujita S, Kanno A, Fujiwara S, Yoshimoto T: Functional brain mapping using an MRI-linked whole head magnetoencephalography (MEG) system. *Electroencephalogr Clin Neurophysiol Suppl* 46: 119-126, 1996
- 187) Murayama N, Nakasato N, Hatanaka K, Fujita S, Igasaki T, Kanno A, Yoshimoto T: Gustatory evoked magnetic fields in human. *Neurosci Lett* 210: 121-123, 1996
- 188) Seki K, Nakasato N, Fujita S, Hatanaka K, Kawamura T, Kanno A, Yoshimoto T: Neuromagnetic evidence that the P100 component of pattern reversal visual evoked response originates in the bottom of calcarine fissure. *Electroencephalogr Clin Neurophysiol* 100: 436-442, 1996
- 189) Nakasato N, Seki K, Kawamura T, Ohtomo S, Kanno A, Fujita S, Hatanaka K, Fujiwara S, Kayama T, Takahashi A, Jokura H, Kumabe T, Ikeda H, Mizoi K, Yoshimoto T: Cortical mapping using an MRI-linked whole head MEG system and presurgical decision making. *Electroencephalogr Clin Neurophysiol Suppl* 47: 333-341, 1996
- 190) Kanno A, Nakasato N, Fujita S, Seki K, Kawamura T, Ohtomo S, Fujiwara S, Yoshimoto T: Right hemispheric dominance in the auditory evoked magnetic fields for pure-tone stimuli. *Electroencephalogr Clin Neurophysiol Suppl* 47: 129-132, 1996
- 191) Ohtomo S, Nakasato N, Kawamura T, Kanno A, Seki K, Fujita S, Shimizu H, Fujiwara S, Yoshimoto T: Correspondence of anatomy and function in the human digit sensory cortex revealed by an MRI-linked whole head MEG system. *Electroencephalogr Clin Neurophysiol Suppl* 47: 91-95, 1996
- 192) Nakasato N, Seki K, Fujita S, Hatanaka K, Kawamura T, Ohtomo S, Kanno A, Ikeda H, Yoshimoto T: Clinical application of visual evoked fields using an MRI-linked whole head MEG system. *Front Med Biol Eng* 7: 275-283, 1996
- 193) Nakasato N, Fujita S, Seki K, Kawamura T, Matani A, Tamura I, Fujiwara S, Yoshimoto T: Functional localization of bilateral auditory cortices using an MRI-linked whole head magnetoencephalography (MEG) system. *Electroencephalogr Clin Neurophysiol* 94:183-190, 1995
- 194) Gharib S, Sutherling WW, Nakasato N, Barth DS, Baumgartner C, Alexopoulos N, Taylor S, Rogers RL: MEG and ECoG localization accuracy test. *Electroencephalogr Clin Neurophysiol* 94: 109-114, 1995
- 195) Nakasato N, Levesque MF, Barth DS, Baumgartner C, Rogers, RL, Sutherling WW: Comparison of MEG, EEG, and ECoG source localization in neocortical partial epilepsy in humans. *Electroencephalogr Clin Neurophysiol* 91: 171-178, 1994
- 196) Otsuki T, Jokura H, Nakasato N, Yoshimoto T: Stereotactic endoscopic resection of angiographically occult vascular malformations. *Acta Neurochir Suppl* 61: 98-101, 1994
- 197) Nakasato N, Otsuki T, Yoshimoto T, Levesque MF, Vinters H, Babb TL: Temporal lobe epilepsy with extrahippocampal structural lesions. *Jpn J Psych Neurol* 47: 245-248, 1993

- 198) Nakasato N, Levesque MF, Babb TL: Seizure outcome following standard temporal lobectomy: correlation with hippocampal neuron loss and extrahippocampal pathology. *J Neurosurg* 77:194-200, 1992
- 199) Levesque MF, Nakasato N, Vinters HV, Babb TL: Surgical treatment of limbic epilepsy associated with extrahippocampal lesion: the problem of dual pathology. *J Neurosurg* 75:364-370, 1991
- 200) Otsuki T, Nakasato N, Kameyama M, Sato K, Jokura H, Seki K, Yoshimoto T: Cerebral glucose metabolism in epilepsy patients associated with organic brain damage. *Jpn J Neurol Psychiat* 45:404-406, 1991
- 201) Nakasato N, Kado H, Nakanishi M, Koyanagi M, Kasai N, Niizuma H, Yoshimoto T: Magnetic detection of sleep spindles from normal subjects. *Electroencephalogr Clin Neurophysiol* 76:123-130, 1990
- 202) Niizuma H, Yonemitsu T, Jokura H, Nakasato N, Suzuki J, Yoshimoto T: Stereotactic aspiration of thalamic hematoma. Overall results of 75 aspirated and 70 nonaspirated cases. *Stereotactic and Functional Neurosurgery* 55:438-444, 1990
- 203) Niizuma H, Shimizu Y, Yonemitsu T, Nakasato N, Suzuki J: Results of stereotactic aspiration in 175 cases of putaminal hemorrhage. *Neurosurgery* 24:814-819, 1989
- 204) Niizuma H, Otsuki T, Jokura H, Nakasato N, Suzuki J: CT-guided stereotactic aspiration of intracerebral hematoma - result of a hematoma-lysis method using urokinase. *Appl Neurophysiol* 48:427-430, 1985 1988
- 205) Niizuma H, Nakasato N, Yonemitsu T, Ito S, Suzuki J: Intracerebral hemorrhage from a metastatic brain tumor. Importance of differential diagnosis preceding stereotaxic hematoma aspiration. *Surg Neurol*, 29:232-236, 1988
- 206) Niizuma H, Shimizu Y, Nakasato N, Jokura H, Suzuki J: Influence of liver dysfunction on volume of putaminal hemorrhage. *Stroke* 19: 987-990, 1988

REVIEW ARTICLES (4)

- 1) Stefan H, Nakasato N, Papanicolaou AC: Magnetoencephalography. *Handb Clin Neurol* 107:347-358, 2012
- 2) Nakasato N, Yoshimoto T: Somatosensory, auditory and visual evoked magnetic fields in patient with brain diseases. *J Clin Neurophysiol* 17:201-211, 2000
- 3) Forss N, Nakasato N, Ebersole J, Nagamine T, Salmelin R: Clinical use of magnetoencephalography. *Suppl Clin Neurophysiol* 53:287-297, 2000
- 4) Nakasato N, Yoshimoto T: Magnetoencephalography (MEG) and functional brain mapping. *J Jpn Assoc Radiol Technologist, English Issue* 1996:12-21, 1997

BOOK CHAPTERS (64)

- 1) Nakasato N, Kanno A, Ishida M, Osawa SI, Iwasaki M, Kakisaka Y, Jin K: Revision analysis of electroencephalography and magnetoencephalography based on comprehensive epilepsy conference. In Papanicolaou AC, Roberts TPL, Wheles W (Ed): *Fifty Years of Magnetoencephalography*. Oxford University Press, New York, 2020, pp 191-197
- 2) Jin K, Nakasato N: Adult epilepsy. In: Tobimatsu S, Kakigi R (Ed): *Clinical applications of magnetoencephalography*, Springer Japan, Tokyo, pp 175-185, 2016

- 3) Iwasaki M, Nakasato N: MEG in epilepsy and pre-surgical functional mapping. In: Supek S, Aine CJ (eds.): *Magnetoencephalography: from signals to dynamic cortical networks*. Springer-Verlag, Berlin, pp 821-842, 2014.
- 4) Stefan H, Nakasato N, Papanicolaou AC: *Magnetoencephalography*. Stefan H, Theodore WH (eds): *Handb Clin Neurol Vol. 107 (3rd series) Epilepsy, Part I*, pp347-358, Elsevier BV, 2012 (PMID: 22938981)
- 5) Nakasato N, Kanno A, Tominaga T: *Magnetoencephalography (MEG): Its application to moyamoya disease*. In. Cho B-K, Tominaga T (ed) (eds.): *Moyamoya Disease Update*, Springer, pp. 220-224, 2010
- 6) Knoesche TR, Nakasato N, Eiselt M, Haueisen J: *Neuromagnetism*. In. Andrae W, Nowak H (eds.): *Mangetism in Medicine. A Handbook. Second, Completely Revised and Extended Edition*, Wiley-VCH, pp. 210-267, 2007
- 7) Hatanaka K, Tamafuri K, Nakasato N, Seki S, Kanno A, Ohtomo S, Yoshimoto T: *Neuromagnetic imaging of abnormal slow waves using spectral analysis*. In. Pizzella V, Romani GL (ed): *Proceedings of 4th International Symposium on Noninvasive Functional Source Imaging Within the Human Heart and Brain*. *Biomedizinische Technik* 48, pp. 73-75, 2004
- 8) Hatanaka K, Tamafuri K, Seki K, Ohtomo S, Kanno A, Nakasato N: *Spectral analysis of localized slow waves observed in ischemic patients*. Halgren E, Ahlfors S, Hamalainen M, Cohen D (ed.): *Proceedings of the 14th International Conference on Biomagnetism, Biomag 2004 Ltd., Boston*, pp. 204-205. 2004
- 9) Oyama A, Arawaka Y, Oikawa A, Owada H, Oimatsu H, Obonai T, Nakasato N, Nagamine Y, Fujiwara S, Noda R: *Trial of musicokinetic therapy for traumatic patients with prolonged consciousness: two case reports*. *Proceedings of the 12th Annual Meeting of Society for Treatment of Coma* 12: 121-126, 2003
- 10) Suzuki K, Otsuka Y, Sugawara A, Okuda J, Nakasato N, Yamadori A: *Effects of memory on the judgement of incongruity: a magnetoencephalographic study*. Yamadori A, Kawashima R, Fujii T, Suzuki K (ed.) *Frontiers of Human Memory*, Tohoku University Press, Sendai, pp. 97-104, 2002
- 11) Park HM, Nakasato N, Iwasaki M, Shamoto H, Yoshimoto T: *Detectability test of convexity spikes by conventional EEG and helmet MEG*. Nowak H, Haueisen J, Giessler F, Huonker R (ed.): *Proceedings of the 13th International Conference on Biomagnetism, VDE Verlag, Berlin*, pp. 260-262, 2002
- 12) Iwasaki M, Pestana E, Burgess RC, Nakasato N, Shamoto H, Luders HO: *Comparative analysis of MEG and scalp EEG for interictal spike detection*. Nowak H, Haueisen J, Giessler F, Huonker R (ed.): *Proceedings of the 13th International Conference on Biomagnetism, VDE Verlag, Berlin*, pp. 249-251, 2002
- 13) Hatanaka K, Nakasato N, Kanno A, Ohtomo S, Yoshimoto T: *Source localizations of visual evoked magnetic fields using minimum current estimates and conventional dipole model*. Nowak H, Haueisen J, Giessler F, Huonker R (ed.): *Proceedings of the 13th International Conference on Biomagnetism, VDE Verlag, Berlin*, pp. 463-465, 2002
- 14) Ohtomo S, Nakasato N, Kumabe T, Yoshimoto T: *Auditory evoked N100m as a possible landmark of posterior language cortex in patients with temporal lobe gliomas*. Nowak H, Haueisen J, Giessler F, Huonker R (ed.): *Proceedings of the 13th International Conference on Biomagnetism, VDE Verlag, Berlin*, pp. 95-97, 2002
- 15) Ishitobi M, Nakasato N, Munakata M, Inoue T, Takahashi S, Iinuma K: *Localization of normal and abnormal function in patients with band heterotopia*. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): *Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland*, pp. 435-438, 2001

- 16) Kanno A, Nakasato N, Nagamatsu K, Iwasaki M, Hatanaka K, Murayama N, Yoshimoto T: Comparison of source localization for the P30m, P50m, and N100m peaks of the auditory evoked fields. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland, pp. 25-28, 2001
- 17) Iwasaki M, Nakasato N, Shamoto H, Nagamatsu K, Kanno A, Hatanaka K, Yoshimoto T: Interictal spike dipole estimation by MEG: Comparison with direct cortical recording by implanted grid electrodes. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland, pp. 476-479, 2001.
- 18) Hatanaka K, Nakasato N, Nagamatsu K, Iwasaki M, Kanno A, Ikeda H, Yoshimoto T: Modification of the pattern-evoked magnetic fields associated with the location of the lesion along the visual pathways. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland, pp. 145-149, 2001.
- 19) Ito K, Saita S, Niki N, Nakasato N, Yoshimoto T: A study on high-precise magnetoencephalographic field-source estimation using the head model. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland, pp. 615-618, 2001
- 20) Takada K, Nomura K, Ono Y, Kurosawa M, Ishiyama a, Kasati N, Nakasato N: MEG/EEG hybrid method for source localization of a dipole with radial component. Nenonen J, Ilmoniemi RJ, Katila T, (ed.): Biomag2000, Proceedings of the 12th International Conference on Biomagnetism, Helsinki University of Technology, Espoo, Finland, pp. 777-780, 2001
- 21) Kimura T, Tashiro N, Kafuku T, Okumi Y, Obonai T, Igarashi Y, Kanno A, Nakasato N, Nagamine Y, Fujiwara S: A clinical experience of a new nutritious liquid enteric diet (CZ-F) for patients with prolonged disturbance of consciousness. Proceedings of 10th Annual meeting of the Society for Treatment of Coma 10:163-168, 2001
- 22) Mino K, Niki N, Nakasato N, Yoshimoto T: An estimation algorithm of neuromagnetic source using MRI information. In. Aine CJ, Flynn ER, Okada Y, Stroink G, Swithenby SJ, Wood CC (ed.): Biomag96: Proceedings of the Tenth International Conference on Biomagnetism. Springer-Verlag, New York, pp 294-297, 2000
- 23) Fujita S, Nakasato N, Seki K, Kanno A, Kawamura T, Ohtomo S, Fujiwara S, Yoshimoto T: Visual evoked magnetic fields: Bilateral dipole pattern for the full-field stimulus. In. Aine CJ, Flynn ER, Okada Y, Stroink G, Swithenby SJ, Wood CC (ed.): Biomag96: Proceedings of the Tenth International Conference on Biomagnetism. Springer-Verlag, New York, pp 745-748, 2000
- 24) Hatanaka K, Seki K, Nakasato N, Kanno A, Ohtomo S, Fujiwara S, Yoshimoto T: Effect of color on visual evoked magnetic fields with pattern-reversal stimulation. In. Aine CJ, Flynn ER, Okada Y, Stroink G, Swithenby SJ, Wood CC (ed.): Biomag96: Proceedings of the Tenth International Conference on Biomagnetism. Springer-Verlag, New York, pp 769-772, 2000
- 25) Murayama N, Nakasato N, Hatanaka K, Fujita S, Igasaki, T. Kanno A, Yoshimoto T: Evoked magnetic fields for gustatory stimuli on the tongue. In. Aine CJ, Flynn ER, Okada Y, Stroink G, Swithenby SJ, Wood CC (ed.): Biomag96: Proceedings of the Tenth International Conference on Biomagnetism. Springer-Verlag, New York, pp 833-836, 2000
- 26) Nobuta M, Mino K, Niki N, Nakasato N, Yoshimoto T: Estimation algorithm of neuromagnetic source in the cortical region using MR images. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 274-277

- 27) Ishitobi M, Nakasato N, Inoue T, Ohnuma A, Kanno A, Iinuma K, Yoshimoto T: Residual function detected by MEG and fMRI in abnormally thin cortex caused by a large congenital brain cyst. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 454-457
- 28) Ohtomo S, Nakasato N, Kumabe T, Kanno A, Hatanaka K, Shirane R, Yoshimoto T: Somatosensory evoked fields revealing possible reorganization of cortical somatotopy after surgery for glioma. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 470-473
- 29) Hatanaka K, Nakasato N, Suzuki K, Okuda J, Kanno A, Fujiwara S, Yamadori A, Yoshimoto T: Time course of the P100 dipole due to pattern reversal stimulation. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 565-568
- 30) Okuda J, Suzuki K, Nakasato N, Hatanaka K, Kanno A, Sugawara A, Otsuka Y, Yamadori A, Yoshimoto T: Spatio-temporal pattern of visual evoked magnetic fields for letter and non-letter stimuli. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 704-707
- 31) Suzuki K, Okuda J, Nakasato N, Hatanaka K, Kanno A, Otsuka Y, Yamadori A, Yoshimoto T: Spatio-temporal pattern of visual evoked magnetic fields in patients with cerebral infarction in the left medial occipital lobe. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 708-711
- 32) Kanno A, Nakasato N, Hatanaka K, Ohtomo S, Otsuki T, Fujiwara S, Yoshimoto T: Mesial temporal origin of spike bursts in a patient with complex partial seizures. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 778-781
- 33) Takahashi T, Hatanaka K, Kanno A, Nakasato N, Yoshimoto T: Magnetoencephalography of a patient with pure photosensitive epilepsy. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 798-801
- 34) Takahashi T, Hatanaka K, Kanno A, Nakasato N, Fujiwara S, Yoshimoto T: Magnetoencephalography of a patient with temporal lobe epilepsy associated with visual and auditory auras. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 802-805
- 35) Nakasato N, Kanno A, Hatanaka K, Ohtomo S, Inoue T, Shimizu H, Kumabe T, Sato K, Shirane R, Yoshimoto T: Preoperative MEG, fMRI and intraoperative cortical stimulation for neurosurgical brain mapping. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 821-824
- 36) Inoue T, Shimizu H, Nakasato N, Kanno A, Fujiwara S, Yoshimoto T: Functional MR mapping of the cortical hand and lip areas. Yoshimoto T, Kotani M, Kuriki S, Karibe H, Nakasato N (Ed.) Recent Advances in Biomagnetism. Tohoku University Press, Sendai, 1999, pp 888-891
- 37) Chen Z, Takayasu H, Takayasu M, Tretyakov A, Nakasato N, Kanno A, Hatanaka K, Yoshimoto T: Spatio-temporal behavior of the alpha rhythm sources. Proceedings of International Workshop on Soft Computing in Industry '99, June 16-18, 1999, Muroran, Japan
- 38) Nakasato N, Inoue T, Takahashi A, Kanno A, Hatanaka K, Shimizu H, Kumabe T, Yoshimoto T: Combination of magnetoencephalography (MEG) and functional magnetic resonance imaging (fMRI) for neurosurgical mapping of the sensory and motor cortices. In Chang HK, Zhang YT (Ed): Proceedings of the 20th Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Vol. 20 (4), pp 2209-2212, 1998
- 39) Ohtomo S, Nakasato N, Kanno A, Hatanaka K, Takahashi A, Kayama T, Shirane R, Yoshimoto T: Neuromagnetic identification of the central sulcus in cases with the foot area tumors. In

- Hashimoto I, Kakigi R (ed): Recent Advances in Human Neurophysiology, Elsevier, Amsterdam, 1998, pp204-212
- 40) Kanno A, Nakasato N, Suzuki K, Yoshimoto T: N100m auditory evoked response in patients with agenesis of the corpus callosum. In Hashimoto I, Kakigi R (ed): Recent Advances in Human Neurophysiology, Elsevier, Amsterdam, 1998, pp336-343
 - 41) Hatanaka K, Nakasato N, Kanno A, Seki K, Ohtomo S, Fujiwara S, Yoshimoto T: Integration of function of the primary visual cortex revealed by neuromagnetic analysis. In Hashimoto I, Kakigi R (ed): Recent Advances in Human Neurophysiology, Elsevier, Amsterdam, 1998, pp 369-373
 - 42) Nakasato N, Kumabe T, Takahashi A, Kanno A, Ohtomo S, Hatanaka K, Sato K, Otsuki T, Yoshimoto T: Identification of cortical somatotopy by MEG and cortical stimulation. In Hashimoto I, Kakigi R (ed): Recent Advances in Human Neurophysiology, Elsevier, Amsterdam, 1998, pp 939-944
 - 43) Kumabe T, Nakasato N, Tominaga T, Higano S, Takahashi S, Yoshimoto T: Surgical management for the gliomas around the motor strip: preoperative anatomical and functional imaging. In: Tamaki N, Ehara K (eds.) Computer-aided neurosurgery, Springer-Verlag Tokyo, pp 165-174, 1997
 - 44) Nakasato N, Shirane R, Hatanaka K, Kanno K, Nagamatsu K, Takahashi A, Yoshimoto T: Neuromagnetic evaluation of pediatric brain diseases. In. Takahashi S (ed): Proceedings of the International Workshop "Development of Synaptic Transmission System in Mental Retardation", pp230-235, 1997
 - 45) Mino K, Niki N, Nakasato N, Yoshimoto T: Estimation of neuromagnetic source location in the cortical region using MR images. Proceedings of IEEE International Conference on Image Processing, Santa Barbara, pp531-534, 1997
 - 46) Kanno A, Nakasato N, Fujita S, Seki K, Kawamura T, Ohtomo S, Fujiwara S, Yoshimoto T: Right hemispheric dominance in the auditory evoked magnetic fields for pure-tone stimuli. Electroencephalogr Clin Neurophysiol Suppl 47: 129-132, 1996
 - 47) Mino K, Niki N, Nakasato N, Yoshimoto T: A magnetic estimation in the cortical region. In. Proceedings of the IEEE International conference on image processing. Vol II and III, pp 261-264, 1996
 - 48) Mino K, Niki N, Nakasato N: An estimation algorithm for neuromagnetic source distribution using MRI information. In. Moonier PA (ed.): IEEE Nuclear Science Symposium and Medical Imaging Conference Record, Vol. 2, pp1141-1145, 1995
 - 49) Nakasato N, Fujita S, Matani A, Tamura I, Fujiwara S, Yoshimoto T: Clinical application of the whole head MEG: Auditory evoked response in patients with intracranial structural lesions. In Baumgartner C, Deecke L, Stroink G, Williamson SJ (Eds.): Biomagnetism: Fundamental research and clinical applications. Studies in applied electromagnetics and mechanics Vol 7, Amsterdam, Elsevier/IOS-Press, 1995, pp 186-190
 - 50) Fujita S, Nakasato N, Matani A, Tamura I, Yoshimoto T: Short latency somatosensory evoked field for tibial nerve stimulation: rotation of dipole pattern over the whole head. In Baumgartner C, Deecke L, Stroink G, Williamson SJ (Eds.): Biomagnetism: Fundamental research and clinical applications. Studies in applied electromagnetics and mechanics Vol 7, Amsterdam, Elsevier/IOS-Press, 1995, pp 95-98
 - 51) Matani A, Yoshida Y, Nakasato N, Fujita S, Tamura I: Source localization of two dipoles in a phantom using a whole cortex 64-channel SQUID biomagnetometer system. In Baumgartner C, Deecke L, Stroink G, Williamson SJ (Eds.): Biomagnetism: Fundamental research and clinical applications. Studies in applied electromagnetics and mechanics Vol 7, Amsterdam, Elsevier/IOS-Press, 1995, pp 339-342

- 52) Shimizu H, Fujiwara S, Koshu K, Nagamine Y, Nakasato N, Ogasawara K, Ono Y, Yoshimoto T: Proton magnetic resonance spectroscopy of the brain in patients with prolonged consciousness disturbance after traumatic brain injury. Proceedings of the 3rd Annual Meeting of the Society for Treatment of Coma. Vol 3: 87-90, 1995
- 53) Ono Y, Shimizu H, Nakasato N, Kawamura S, Fujiwara S, Yoshimoto T: Evaluation of functional magnetic resonance imaging in comparison to magnetoencephalography. In Riederer SJ, et al.(ed): Proceedings of the Society of Magnetic Resonance, 1994, p 668
- 54) Fujiwara S, Ogasawara K, Nakasato N, et al: Brain MRIs of twenty-five patients with prolonged disturbance of consciousness after head injury: Analysis in the chronic stages. Proceedings of the 2nd Annual Meeting of the Society for Treatment of Coma. Vol 2:89-98, 1994
- 55) Fujiwara S, Nakasato N, Ogasawara K, et al: Evaluation of the severity of prolonged consciousness disturbances after head injury: A scoring system developed in our department. Proceedings of the 2nd Anal Meeting of the Society for Treatment of Coma. Vol 2:173-183, 1994
- 56) Otsuki T, Jokura H, Nakasato N, Yoshimoto T: Stereotactic endoscopic resection of angiographically occult vascular malformations. Bauer BL, et al. (ed): Minimally Invasive Neurosurgery II, Springer-Verlag, Vienna, pp98-101, 1994
- 57) Nakasato N, Fujiwara S, Otsuki T, Jokura H, Koshu K, Mizoi K, Takahashi A, Takahashi Y: Early effect of cervical spinal cord stimulation on coma due to hemorrhage from midbrain arteriovenous malformation: report of a case. The Society for Treatment of Coma, Vol 1, Neuron Publishing, Tokyo, pp77-82, 1993
- 58) Nakasato N, Muresan L, Baumgartner C, Barth D, Sutherling W: Simultaneous MEG and ECoG of spontaneous seizures and comparison with MEG and ECoG of auditory evoked response (AER). In Hoke M, Erne SN, Okada YC, Romani GL (eds.): Biomagnetism: Clinical aspects, Elsevier, Amsterdam, 1992, pp 83-86
- 59) Nakasato N, Muresan L, Vinet L, Baumgartner C, Barth D, Sutherling W: Localization and quantification of the human epileptic spike zone using MEG, EEG, MRI, and evoked responses with validation by ECoG. In Hoke M, Erne SN, Okada YC, Romani GL (eds.): Biomagnetism: Clinical aspects, Elsevier, Amsterdam, 1992, pp 79-82
- 60) Sutherling W, Nakasato N, Muresan L, Baumgartner C, Barth D: Comparison of EEG, ECoG, MRI, and 7 versus 31 channels of MEG for non-invasive localization of the somatosensory evoked response. In Hoke M, Erne SN, Okada YC, Romani GL (eds.): Biomagnetism: Clinical aspects, Elsevier, Amsterdam, 1992, pp 233-236
- 61) Hatanaka K, Seki K, Nakasato N, Yoshimoto T: Visual evoked magnetic fields with red-black-and green-black pattern reversal stimulations. In Hoke M, Erne SN, Okada YC, Romani GL (eds.): Biomagnetism: Clinical aspects, Elsevier, Amsterdam, 1992, pp197-200
- 62) Nakasato N, Hatanaka K, Seki K, Yoshimoto T, Kado H: Sleep spindles in magnetoencephalography and electroencephalography. In: Williamson SJ et al. (ed) Advances in Biomagnetism, Plenum Press, New York, pp 265-268, 1989
- 63) Kado H, Nakanishi M, Koyanagi M, Kasai N, Endo T. Nakasato N: DC-SQUID magnetometry: a trial to detect the auditory evoked magnetic field of neural activity from brain stem. In. Atsumi K et al. (ed) Biomagnetism '87, Tokyo, Tokyo Denki University Press, Tokyo, pp 162-165, 1987
- 64) Kado H, Nakanishi M, Koyanagi M, Kasai N, Higuchi M. Nakasato N: Alpha rhythm of magnetoencephalogram measured by 2-channel DC-SQUID system. In. Atsumi K et al. (ed) Biomagnetism '87, Tokyo, Tokyo Denki University Press, Tokyo, pp 230-233, 1987

INVITED LECTURES AT INTERNATIONAL CONFERENCES (112):

- 1) Nakasato N: MEG technology advances and clinical applications. Asian Oceanian Congress of Clinical Neurophysiology, Taipei, November 22, 2025, Taipei (Symposium)
- 2) Nakasato N: Both sides now: Light and shadow of magnetoencephalography in our comprehensive epilepsy center. The 9th Biannual Conference of the International Society for the Advancement of Clinical Magnetoencephalography (ISACM), November 3-5, 2025, Las Vegas (Symposium)
- 3) Nakasato N: How I became an epileptologist. Alkhairaat University School of Medicine. January 11th, 2025, Palu, Indonesia (Invited Web Lecture)
- 4) Nakasato N: Combined EEG and MEG in the diagnosis of focal epilepsy. The 23rd International Conference on Biomagnetism. August 28, 2024, Sydney, Australia (Symposium)
- 5) Nakasato N: MEG-based brain mapping for epilepsy and other diseases. Korean Epilepsy Society, June 22nd, 2024, Seoul (Invited Lecture)
- 6) Nakasato N: Biomagnetic measurements using tunnel magneto-resistive sensors. MEG Nord, May 28th, 2024, Gothenburg (Keynote Lecture)
- 7) Nakasato N: Detection, separation, and localization of epileptiform activity in EEG and MEG. Queen Elizabeth Hospital in Hong Kong, April 11th, 2024 (Invited Lecture)
- 8) Nakasato N: Web-based and case-based learning of clinical epileptology to develop comprehensive epilepsy centers in Indonesia. Asia Telemedicine Symposium, Dec 16th, 2023, Fukuoka (Invited Lecture)
- 9) Nakasato N: Clinical application of MEG: My 35 years' experience. Epilepsy Grand Rounds, McGovern Medical School, The University of Texas Health Science Center at Houston, September 7th, 2023, Houston, USA (Invited Lecture)
- 10) Nakasato N: My dreams of MEG in the late 1980s and in the present. The 8th Biannual Conference of the International Society for the Advancement of Clinical Magnetoencephalography (ISACM), May 24-27, 2023, Osaka (Memorial Lecture)
- 11) Nakasato N: Neuromagnetometry is warming up: possible future applications for epilepsy. Cleveland Clinic Epilepsy Grand Rounds, June 24th, 2022, Cleveland, USA/Hybrid (Special Lecture)
- 12) Nakasato N: Magnetoencephalography is warming up from liquid-helium to room temperature. The 27th Korean Epilepsy Congress, June 10th, 2022, Seoul, Korea/ Hybrid (Invited Lecture)
- 13) Nakasato N: A dream of tele-epilepsy network in Asia with multimodal and multilayer approaches. 2022 Annual Meeting of Taiwan Epilepsy Society, April 17th, 2022, Taipei, Taiwan (Special Lecture)
- 14) Nakasato N: Is telemedicine first in comprehensive epilepsy care? Sakura Science Exchange Program, November 16th, 2021, Fukuoka/Web (Invited Lecture)
- 15) Nakasato N: Epilepsy surgery in comprehensive epilepsy program. WFNS Foundation ACNS Summer WEB Seminar, July 10th-11th, 2021, Web Conference (Invited Lecture)
- 16) Nakasato N: Why development of telemedicine is so slow in Japan even during the pandemic. 13th Asian & Oceanian Epilepsy Congress, June 13th, 2021, Web Conference (Invited Lecture)
- 17) Nakasato N: Debate Session: For "Telemedicine versus face-to-face medicine in the epilepsy clinic", 13th Asian & Oceanian Epilepsy Congress, June 11th, 2021, Web Conference (Invited lecture)
- 18) Nakasato N: Special thanks to my mentors and colleagues! American Clinical MEG Society (ACMEGS), May 13rd, 2021, Web-conference (Legacy Award Lecture)

- 19) Nakasato N: MEG history at Tohoku University: from SQUID to TMR sensors. Tohoku-Yonsei Epilepsy and MEG symposium. February 19, 2021, Seoul, Korea (Web Conference) (Didactic Session)
- 20) Nakasato N: Magnetoencephalography: recent advances in epileptology. Asian Epilepsy Surgery Congress, November 7, 2020, Taipei, Taiwan, Web Conference (Symposium)
- 21) Nakasato N: Epilepsy care in pandemic era. Situasi Terkini Pandemi Covid-19, August 8, 2020, Jakarta, Indonesia, Web Conference, (Invited Lecture)
- 22) Nakasato N, Epilepsy: the name you know, the story you don't, Kickoff meeting of Medical Excellence Japan at Cipto Mangunkusumo Hospital, January 24, 2020, Jakarta, Indonesia
- 23) Nakasato N: Telemedicine projects at Tohoku University, TEDx Tohoku University Salon, October 26, 2019, Sendai, Japan (Invited Lecture)
- 24) Nakasato N: Epilepsy: The name you know, the story you don't. Asian Leksell Gamma Knife Society. January 19, 2019, Sendai, Japan (Special Lecture)
- 25) Nakasato N: Mission of Department of Epileptology, Epilepsy Symposium. July 19, 2018, Busan, Korea (Invited Lecture)
- 26) Nakasato N: Mission of Department of Epileptology, Epilepsy Symposium. July 18, 2018, Seoul, Korea (Invited Lecture)
- 27) Nakasato N, Kanno A, Ishida M, Asagi S, Kakisaka Y, Jin K: When, why and how is MEG essential to diagnose epilepsy? 12th Asian-Oceanian Congress of Neuroradiology. March 18, 2018, Taipei, Taiwan (Symposium)
- 28) Nakasato N: Education and outreach activity for epilepsy in Japan. Workshop of Epilepsy, Indonesian Neurological Association and Neurology Department, Hasanuddin University. Makassar, Indonesia, July 8, 2017, Makassar, Indonesia (Invited Lecture)
- 29) Nakasato N: Diagnostic strategy of adult epilepsy. EEG Workshop. July 7, 2017, Makassar, Indonesia (Invited Lecture)
- 30) Nakasato N: What is epilepsy, again? The International Seminar, Medical Faculty Alkhairaat University "Knowing Epilepsy". July 5, 2017, Palu, Indonesia (Invited Lecture)
- 31) Nakasato N: My dream of epilepsy care in Japan, Indonesia and the world. The International Seminar, Medical Faculty Alkhairaat University. "Knowing Epilepsy". July 5, 2017, Palu, Indonesia (Invited Lecture)
- 32) Nakasato N: Transitioning care of patients from pediatric to adult neurology (a patient perspective). 11th Asian & Oceanian Epilepsy Congress, May 13-16, 2016, Hong Kong (Symposium).
- 33) Nakasato N: Epilepsy care during a natural disaster. Epilepsy Across the Lifespan - TeleECHO Clinic, University of New Mexico, December 8, 2015, Albuquerque, New Mexico, USA (Invited Lecture)
- 34) Nakasato N: Epilepsy, Educate, Change. Azerbaijan Medical University. September 10, 2015, Baku, Azerbaijan (Invited Lecture)
- 35) Nakasato N, Itabashi H, Jin K, Iwasaki M, Tominaga T: Detection and localization of EEG and MEG spikes in cases with small cortical dysplasia often overlooked on MRI. The 8th Asian Epilepsy Surgery Congress. October 4-6, 2014, Tokyo (Invited Lecture)
- 36) Nakasato N, Rampp S: Epilepsy: theory and grounding. The 19th International Conference on Biomagnetism. August 24-28, 2014, Halifax, Canada (Symposium)
- 37) Nakasato N: MEG and EEG spike localization in cases with small FCD overlooked by MRI. Colloquium on Drug Resistant Epilepsy, August 16-18, 2013, NIMHANS, Bangalore, India (Invited Lecture)
- 38) Nakasato N: Functional imaging for epilepsy surgery. The World Society for Stereotactic and Functional Neurosurgery, May 27-30, 2013, Tokyo (Keynote Address)

- 39) Nakasato N, Tanji K, Iwasaki M, Suzuki K: ECoG based functional brain mapping in epilepsy. Taiwan Society of Clinical Neurophysiology, December 23, 2012, Taipei (Invited Lecture)
- 40) Nakasato N: Epilepsy care network in Tohoku district through 3.11 disaster. Taiwan Society of Clinical Neurophysiology, December 23, 2012, Taipei (Invited Lecture)
- 41) Nakasato N: Clinical application of MEG. Clinical Neurophysiology Round, University of California, Los Angeles (UCLA). October 23, 2012, Los Angeles (Invited Lecture)
- 42) Nakasato N: Epilepsy Care in Tohoku District after the 3.11 Disaster in 2011. Clinical Neurophysiology Round, University of California, Los Angeles (UCLA). October 23, 2012, Los Angeles (Invited Lecture)
- 43) Nakasato N: MEG. Asian & Oceanian Epilepsy Congress, March 24, 2012, Manila (Symposium)
- 44) Nakasato N: MEG and epilepsy. Seoul National University, January 18, 2012, Seoul (Invited Lecture)
- 45) Nakasato N: MEG and epilepsy. Samsung Seoul Hospital, January 17, 2012, Seoul (Invited Lecture)
- 46) Nakasato N: MEG and epilepsy. Yonsei University College of Medicine, January 16, 2012, Seoul (Invited Lecture)
- 47) Nakasato N: Clinical applications of MEG: current practice and future directions. December 23, 2011, National Institute of Mental Health and Neuroscience (NIMHANS), Bangalore, India (Invited Lecture)
- 48) Nakasato N: Epilepsy patients in and around the tsunami-devastated area in Japan in 2011. Public Lecture for Epilepsy Foundation, India, December 22, 2011, Mumbai (Invited Lecture)
- 49) Nakasato N: MEG in clinical practice. International Society for the Advancement of Clinical Magnetoencephalography, November 3-5, 2011, Las Vegas (Special Keynote Lecture)
- 50) Nakasato N: Epilepsy patients in and around the tsunami-devastated area in Japan in 2011. 29th International Epilepsy Congress, August 28 - September 1, 2011, Rome (Invited Platform Session)
- 51) Nakasato N: Practical reasons for applying MEG clinically. 29th International Congress of Clinical Neurophysiology (ICCN2010), October 29th, 2010, Kobe (Symposium)
- 52) Nakasato N: Magnetoencephalographic evaluation of neocortical epilepsy and eloquent cortical function. 8th AOEC, Clinical Epilepsy Workshop on Epilepsy Surgery in Neocortical Epilepsy, October 20, 2010, Melbourne (Invited Lecture)
- 53) Nakasato N: MEG: Separation first, orientation second and localization third. The Third Beijing International Epilepsy Forum, November 12-15, 2009, Beijing (Special Lecture)
- 54) Nakasato N: Practical difference between EEG and MEG in epilepsy. Pre-Congress: Asian Symposium: Diagnosis and Treatment of Partial Onset Seizures, October 21, 2009, Hirosaki (Special Lecture)
- 55) Nakasato N: MEG: Separation first, orientation second and localization third. The 13th Seoul Epilepsy Symposium, September 19, 2009, Seoul (Special Lecture)
- 56) Nakasato N: Seeking application of MEG for neurosurgeons. Ground Round, Department of Neurosurgery, Seoul National University, September 18, 2009, Seoul (Invited Lecture)
- 57) Nakasato N: Is MEG just a localization tool? The 2nd Biannual Conference of the International Society for the Advancement of Clinical Magnetoencephalography (ISACM), September 3-5, 2009, Athens, Greece (Round Table Discussion)
- 58) Nakasato N: What's the difference between EEG and MEG in practice? International Workshop on Advanced Epilepsy Treatment, March 28-30, 2009, Kitakyushu, Japan (Invited Lecture)

- 59) Nakasato N: Magnetoencephalographic (MEG) Diagnosis of Early-Stage Cerebral Ischemia. The 11th Meeting of Hirosaki International Forum of Medical Science, March 27-28, 2009, Hirosaki, Japan (Symposium)
- 60) Nakasato N: Combined Use of EEG and MEG for Presurgical Evaluation of Epilepsy. Asian Epilepsy Surgery Congress, October 25-26, 2008, Shijiazhuang, China (Symposium)
- 61) Nakasato N: Use of clinical MEG beyond spike and functional mapping. International Conference on Biomagnetism, August 25-29, 2008, Sapporo (Key Note Lecture)
- 62) Nakasato N, Salayev KA, Ishitobi M, Kakisaka Y, Iinuma K, Kanno A, Iwasaki M, Fujiwara S, Tominaga T: Neuromagnetic specification of frontal or parietal origin of rolandic spikes. Korean Epilepsy Society, June 27, 2008, Seoul (Joint Symposium of KES and JES)
- 63) Nakasato N: Application of MEG for pediatric epilepsy Taiwan Epilepsy Society, March 15, 2008, Taipei (Special Lecture)
- 64) Nakasato N: Epilepsy care in Japan: present and future Taiwan Epilepsy Society, March 15, 2008, Taipei (Symposium)
- 65) Nakasato N: Impact of MEG on epilepsy surgery. Asian Epilepsy Surgery Congress, June 1-2, 2007, Seoul (Luncheon Seminar)
- 66) Nakasato N: Combined EEG and MEG analysis of interictal and ictal discharges. Workshop: MEG Live: How to Analyze and Localize Functional Eloquent Cortex and Epileptic Discharges. American Clinical Neurophysiology Society, November 1-5, 2006, Chicago (Invited Lecture)
- 67) Nakasato N: Clinical neuroscience. Sam Williamson Memorial Symposium, International Conference on Biomagnetism, August 21-26, 2006, Vancouver (Invited Lecture)
- 68) Nakasato N, Kumabe T, Tominaga T: Magnetoencephalographic functional brain mapping and treatment of glioma. Guangzhou International Symposium of Advanced Neuro-oncology and Neurosurgery on Eloquent Areas, April 8-9, 2006, Guangzhou (Special Lecture)
- 69) Nakasato N, Kumabe T, Tominaga T: Impact of neuromagnetic functional mapping for treatment of glioma. 4th Meeting of the Asian Society for Neuro-Oncology, November 4-6, 2005, Taipei (Special Lecture)
- 70) Nakasato N: Conflict, concordance and compromise of scalp EEG and MEG. Seminar, Taipei Veterans General Hospital, October 4, 2005, Taipei, Taiwan (Invited Lecture)
- 71) Nakasato N: Interhemispheric asymmetry of auditory-evoked and language-related magnetic fields. International Workshop on Biomagnetism & Taiwan-Japan Symposium on Superconductive Electronics, October 6-12, 2005, Taipei/Kaohsiung, Taiwan (Invited Lecture)
- 72) Nakasato N. 7th Plenary Session: Development of New Applications. MEG Applications Conference, September 15-17, 2005, Xylocastro, Greece (Panelist)
- 73) Nakasato N. 6th Plenary Session: Society of Clinical MEG Applications. MEG Applications Conference, September 15-17, 2005, Xylocastro, Greece (Panelist and Co-chair)
- 74) Nakasato N. 5th Plenary Session: Criteria for Diagnostic Practice and Issues of Reimbursement. MEG Applications Conference, September 15-17, 2005, Xylocastro, Greece (Panelist)
- 75) Nakasato N. 4th Plenary Session: Textbook Development, MEG Applications Conference, September 15-17, 2005, Xylocastro, Greece (Panelist and Co-chair)
- 76) Nakasato N: State of art development of MEG and clinical applications. MEG Seminar in Huashan Hospital: State-of-Art Development of MEG and Clinical Applications, May 20, 2005, Shanghai (Invited Lecture)
- 77) Nakasato N: Significance of MEG in clinical neuroscience. Biomagnetism Symposium at Yonsei University College of Medicine, May 18, 2005, Seoul (Invited Lecture)

- 78) Nakasato N: Neuromagnetic sustained fields in the recognition memory task for spoken words. The 8th International Evoked Potentials Symposium, October 5-8, 2004, Fukuoka (Symposium)
- 79) Nakasato N: Advantages of MEG to investigate complex epilepsy: an overview. 14th International Conference on Biomagnetism, August 8-12, 2004, Boston (Symposium)
- 80) Nakasato N, Ishitobi M, Yamamoto K, Inuma K: Possible precentral origin of benign rolandic spikes in childhood. 57th Annual Meeting of the American Epilepsy Society, December 5-10, 2003, Boston (Invited Lecture, Special Interest Group)
- 81) Nakasato N: Neurophysiological, EEG, MEG, and other imaging techniques for pre-surgical evaluation of candidates: MEG. ILAE-DMC Neurophysiology in Epilepsy Skills Workshop. October 11, 2003, Lisbon (Invited Lecture)
- 82) Nakasato N: Neuromagnetic localization of epilepsy. Thirteenth International Conference on Biomagnetism, August 10-15, 2002, Jena, Germany (Leading Lecture)
- 83) Nakasato N: Spatiotemporal resolution of MEG. 20th Annual Spring Meeting of the Korean Neurosurgical Society, April 24-26, 2002, Jeju (Breakfast Seminar)
- 84) Nakasato N: Electro- and magnetophysiology for glioma surgery. 20th Annual Spring Meeting of the Korean Neurosurgical Society, April 24-26, 2002, Jeju (Special Lecture)
- 85) Nakasato N: Neuromagnetic localization of epilepsy. 20th Annual Spring Meeting of the Korean Neurosurgical Society, April 24-26, 2002, Jeju (Special Lecture)
- 86) Nakasato N: Clinical Application of MEG. Gil Medical Hospital, April 22, 2002, Incheon (Invited Lecture)
- 87) Nakasato N, Shamoto H, Iwasaki M, Nagamatsu K, Kanno A, Hatanaka K, Shimizu H, Yoshimoto T: Neuromagnetic localization of interictal spike discharges correlates with postoperative seizure outcome. International Symposium of Brain Electromagnetic Topography, March 8-10, 2002, Utsunomiya (Symposium)
- 88) Nakasato N: Clinical significance of magnetoencephalography in localizing epilepsy. The International Symposium on Electromagnetics in Biology and Medicine, April 2-4, 2001, Tokyo (Symposium)
- 89) Nakasato N, Kawamura T, Jokura H, Takahashi A, Yoshimoto T: Does central sulcus move functionally in patients with Rolandic AVM? -A magnetoencephalographic study. Third International Symposium on Cerebral and Spinal Cord AVM. April 23-24, 2000, Tokyo (Luncheon Seminar)
- 90) Nakasato N, Kumabe T, Ohtomo S, Kanno A, Kayama T, Yoshimoto T. Source localization and latency delay of auditory evoked magnetic fields in patients with temporal lobe tumors. Second International Symposium of Brain Tumor Pathology, May 12-13, 2000, Nagoya (Symposium)
- 91) Nakasato N: Clinical significance of high temporal resolution in neuromagnetism. 12th International Conference on Biomagnetism, August 13-16, 2000, Helsinki (Keynote Lecture)
- 92) Nakasato N, et al: Functional reorganization in cerebral cortex with brain tumors revealed by MEG and fMRI. 5th International Conference on Functional Mapping of the Human Brain June 23-26, 1999, Duesseldorf (Presidential Symposium)
- 93) Nakasato N: Anatomic-functional correspondence in hand sensori-motor cortices revealed by MEG, fMRI and intraoperative cortical stimulation, XI International Congress of EMG and Clinical Neurophysiology, September 7 - 11, 1999, Prague (Symposium)
- 94) Nakasato N: Neuromagnetic Evaluation of intractable epilepsy. 2nd Congress of Asian & Oceanian Epilepsy Organization. November 5-8, 1998, Taipei (Symposium)
- 95) Nakasato N, Inoue T, Takahashi A, Kanno A, Hatanaka K, Shimizu H, Kumabe T, Yoshimoto T: Combination of magnetoencephalography (MEG) and functional magnetic resonance imaging (fMRI) for neurosurgical mapping of the sensory and motor cortices. 20th

- Annual International Conference of the IEEE Engineering in Medicine and Biology Society. October 29 - November 1, 1998, Hong Kong (Symposium)
- 96) Nakasato N, Kanno A, Hatanaka K, Ohtomo S, Inoue T, Shimizu H, Kumabe T, Sato K, Yoshimoto T: MEG, fMRI and intraoperative cortical stimulation for neurosurgical brain mapping. 11th International Conference on Biomagnetism, August 28 - September 2, 1998, Sendai (Symposium)
 - 97) Nakasato N: Magnetophysiology and Electrophysiology in Clinical Neuroscience. Advanced Biomagnetism in Biomedical Engineering and Neuroscience (Satellite Symposium on Biomag98), August 27, 1998, Tokyo (Symposium)
 - 98) Nakasato N: Functional brain mapping using MEG and awake surgery. Seminar in Neurosurgery, Toolo Hospital, Helsinki University, October 30, 1997, Helsinki (Invited Lecture)
 - 99) Nakasato N: Experience in magnetic source imaging (MSI) in neurosurgical planning. Seminar in Biomagnetism Laboratory, Helsinki University Central Hospital, October 28, 1997, Helsinki (Invited Lecture)
 - 100) Nakasato N, Ohtomo S, Kanno A, Hatanaka K, Seki K, Kawamura T, Kumabe T, Takahashi A, Jokura H, Mizoi K, Yoshimoto T: Presurgical functional mapping of the eloquent cortices using an MRI-linked Whole-head MEG system. Second Congress of the International Society for Neurosurgical Instrument Inventors, July 3-5, 1997, Berlin (Special Lecture)
 - 101) Nakasato N, Kumabe T, Kanno A, Ohtomo S, Mizoi K, Yoshimoto T: Cortical auditory function in cases with temporal lobe tumors evaluated by an MRI-linked whole head MEG system. Third Pan-Pacific Conference on Brain Topography, April 1-4, 1997, Urayasu (Symposium)
 - 102) Nakasato N, Shirane R, Hatanaka K, Kanno A, Takahashi A, Yoshimoto T: Neuromagnetic evaluation of pediatric brain diseases: Japanese and Canadian International Workshop: Development of Synaptic Transmission in Mental Retardation, March 6-7, 1997, Tokyo (Symposium)
 - 103) Nakasato N, Yoshimoto T: Clinical application of auditory evoked magnetic fields. International Symposium on Brain Mapping, September 13-15, 1996, Oiso (Symposium)
 - 104) Nakasato N: Presurgical localization of eloquent cortices using an MRI-linked whole head MEG system. Tenth International Conference on Biomagnetism, February 16-21, 1996, Santa Fe, New Mexico (Symposium)
 - 105) Nakasato N: MRI-linked whole head MEG system and presurgical decision making. The Tenth Tokyo Institute of Psychiatry International Symposium on "Visualization of Information Processing in the Human Brain: Recent Advances in MEG and Functional MRI", October 12-13, 1995, Tokyo (Symposium)
 - 106) Nakasato N, Seki K, Kanno A, Kawamura T, Ohtomo S, Fujita S, Hatanaka K, Yoshimoto T: Comparison of MEG- and EEG-map patterns by two occipital sources in visual evoked responses for full field stimuli. The 6th International Congress of the International Society for Brain Electromagnetic Topography (ISBET), October 10-12, 1995, Tokushima (Symposium).
 - 107) Nakasato N: Clinical applications of an MRI-linked whole head MEG system. Seminar on Magnetic Source Imaging (MEG), University of British Columbia, Department of Radiology, Dec 15, 1994, Vancouver (Invited Lecture)
 - 108) Nakasato N: The whole head MEG: focal or extended cortical sources?, Seminar in Department of Neurology, Montreal Neurological Institute, December 12, 1994, Montreal (Invited Lecture)
 - 109) Nakasato N: Presurgical functional brain mapping using an MRI-linked whole head MEG system. Neurosurgical Grand Round, Montreal Neurological Institute, December 12, 1994, Montreal (Invited Lecture)

- 110) Nakasato N, Seki K, Kawamura K, Shimizu H, Fujiwara S, Yoshimoto T: Functional brain mapping using an MRI-linked whole head magnetoencephalography (MEG) system. The Fifth International Evoked Potentials Symposium, September 4-7, 1994, Milan (Symposium)
- 111) Nakasato N: Clinical application of magnetoencephalography (MEG). Joint Symposium of Tohoku University Medical School and Asan Medical Center. Nov 18, 1993, Seoul (Symposium)
- 112) Nakasato N, Fujita S, Tamura I, Fujiwara S, Yoshimoto T: The whole head magnetoencephalography revealed functional asymmetry of human auditory evoked cortical response. 9th International Conference on Biomagnetism, Aug 14-20, 1993, Vienna (Symposium)
